International Journal of STD & AIDS 2002; **13**: 863–883

Index to Volume 13, 2002

Author Index

(A) Abstracts (C) Correspondence (E) Editorial Review (S1) Supplement 1 (S2) Supplement 2

Abad S 790
Aboulhab J 456
Abramowsky C 436(A)
Ahdieh L 282(A)
Ahmad RS 59(C)
Ahmad S 71
Ahmed-Jushuf IH 420
Alcaide ML 796(C)
Aldeen T 131
Alexander I 786
Aliprandi A 283(A)
Allan PS 63(C), 178
Allen S 860(C)
Allen SH 792
Al-Mazrou Y 486
Amina S 839
Amirkhanian YA 184, 192
Anderson RD 438(A)
Andersson K 352(A)
Andriamiadana J 606
Angel JB 69(A)
Anzen B 284(A)
Apoola A 71
Apostolopoulos Y 729, 733
Araviyskaya ER 618
Arbe E 283(A)
Ash S 283(A)
Astemborski J 282(A)
Atamasirikul K 69(A)
Atkinson P 514(C)
Austin J 677
Aynaud O 547

Ba'aqeel H 486
Baden LR 282(A)
Badley AD 69(A)
Baeten JM 141(A)
Bakketeig L 486
Baldwin C 281(A)
Balkistan R 559
Ballard RC 323
Barabás É 691
Barrasso R 547
Bartlett JA 142(A)
Barton SE 277(C)
Bashford J 268
Bates CM 210
Bates SM 649(C)
Batterham MJ 744
Bauer GR 67(A)
Baumelou A 282(A)
Bauza A 508
Bazepeyo E 171
Beal JA 438(A)
Bedimo AL 384
Behets FM-TF 606
Beksinska ME 281(A)
Belazi M 373
Bélec L 650(C)
Belizán JM 486
Bell A 352(A)
Bell C 580
Beltrame A 283(A)
Benhamou Y 70(A)
Berendes H 486
Berends R 254
Bergeron C 284(A)
Berglund T 109
Bergsjo P 486
Bergström S 326, 729
Berman SM 706
Beus A 139(A)
Bhalla P 564
Bickerstaff H 70(A)
Bignell C 416
Bindu MP 124
Bingham J 516
Bingham JS 42(S2)
Binkin NJ 311
Birley H 647(C)
Birthistle K 514(C)
Biryahwaho B 729
Bittner H 280(A)
Bjune G 714
Blackwell A 860(C)
Blanche P 790
Blog FB 727(A)
Blot P 66(A)
Boag FC 137(C)
Bochet M 70(A)
Boeke AJ 139(A)
Boeke AJP 12(S2), 36
Boissinot C 66(A)
Boivin JF 238
Bolding G 139(A)
Bollinger RC 171
Borchert M 698
Borleffs J 698
Bouter LM 139(A)
Bouwes-Bavinck JN 353(A)
Boyle BM 55
Brady AR 140(A)
Braig S 66(A)
Braude P 70(A)
British Co-operative Clinical Group Writing Committee 416
Brook MG 438(A)
Brown A 39, 46
Brown DWG 514(C)
Brown W 283(A)
Browne J 624
Brunet A 790
Brunet JB 284(A)
Buisson M 70(A)
Bull L 769
Burattini MN 430(C)
Burgoyne RW 683
Burk R 282(A)
Burkham S 280(A)
Burnham WR 1(E)
Burns F 52
Burton A 860(C)
Buskin SE 554
Butler C 861(C)
Bwayo JJ 141(A)

Caldwell MB 280(A)
Calza L 504
Camara B 39, 46
Cameron DW 436(A)
Campbell C 331
Campos F 353(A)
Carlin EM 543, 812
Carne CA 728(A)
Carnie J 282(A)
Carosi G 283(A)
Carr A 68(A)
Carr S 352(A)
Carrington D 514(C)
Carroli G 486
Casalini C 283(A)
Castor D 39, 46
Catchpole MA 140(A)
Catry MA 540
Cédras L 238
Celentano LP 551
Challenor R 786, 809
Chan MKT 815
Chan S-P 456
Chapman CAT 456
Chard S 277(C)
Chavanet P 70(A)
Cheingsong R 554
Chen M 135
Chikukwa P 201
Chima-Okereke C 860(C)
Chiodo F 504
Chirenje MZ 343
Chirenje ZM 765
Chohan B 141(A)
Chowdhry S 564
Chung WYR 301
Cinnamon J 724
Cinti S 706
Ciravolo G 283(A)

Clark A 378
Clark F 647(C)
Clarke J 431(C)
Cloud G 284(A)
Clutterbuck DJ 425
Coenen AJJ 254
Coetzaa N 285(E)
Cohen CJ 438(A)
Cohen DA 384
Cohen MS 606
Colebunders R 393, 698
Coleman DC 55
Coleman R 280(A)
Colombet G 70(A)
Comber DL 406
Conant MA 12
Connolly C 559
Connolly P 284(A)
Cook A 720
Cooper DA 68(A)
Corbitt G 22
Corfield AP 755
Cornford PA 857
Coutinho FAB 430(C)
Cranston D 640
Crawford J 181
Crocker AR 812
Crooks RJ 12
Crowley T 809
Crutchfield LT 12
Csepe P 192
Cu SU 283(A)
Cu US 282(A)
Curless E 22
Curran B 52

Dabis F 69(A), 462
Dale A 438(A)
Dallabetta G 606
Daniel R 282(A)
Danner SA 30(S2)
Das S 63(C), 178
Dass K 482
David N 168, 573
Davis TE 284(A)
Davison KL 352(A)
de Blok S 12(S2)
De Graeve D 698
de Mey I 393
De Micheli A 283(A)
de Vlas SJ 91
de Wit JBF 86
Dedes N 393
DeHovitz J 399
Delmas MC 284(A)
Delpech V 135
DeMasi R 142(A)
Denning DW 283(A)
de-Pinho AM 437(A)
Dequae-Merchadou L 69(A)
Der GJ 102
Deray G 282(A)
Desgrées-du-Loû A 462
Dévieux JG 781
Dijkgraaf M 698
Di-Martino V 70(A)
Dinsmore WW 432(C)
Diseker 3rd RA 281(A)
Ditrame Study Group 462
Dixon L 425
Djumalieva D 633
Do AN 141(A)
Dodd A 406
Dolara A 283(A)
Dolzhanskaya NA 9(S2)
Dominguez KL 280(A)
Donovan B 135, 761
Dooley L 311
Douglas Jr JM 281(A)
Dragovic B 261
Dragsted D 826
Drakoulakos D 373
Dreezen C 393, 698
Drucker E 657(E)
Duerr A 282(A), 283(A)
Duong M 70(A)
Dupont S 482
Dutch PEP registration 30(S2)
Dutch Society for Dermatology and Venereology, STD-committee 45(S2)
Dworkin MS 69(A), 141(A)

Earp JA 775
Edgardh K 160, 370
Edirisinghe DN 133
Edlinger C 66(A)
Edwards S 411
Egger M 667
Eisman JA 68(A)
Ekpo G 280(A)
Elawad BB 510, 805
Elenga N 69(A)
Elford J 139(A)
El-Gadi S 273
El-Halabi S 311
Elmir E 839
Eltringham IJ 514(C)
Emmanuel PJ 284(A)
Ernst E 433(C), 797
Eslick GD 7
Eurosupport Study Group 393, 698
Evans BG 728(A)

Fagot JP 353(A)
Farley TA 384
Farnot U 486
Favier C 650(C)
Fehler G 323
Fenton KA 140(A)
Fernandez-Sola A 353(A)
Fernando SL 748
Ferrarese C 283(A)
Ferraro MJ 282(A)
Fleerackers Y 698
Fletcher MA 38(S2)
Fleva A 373
Florence E 393
Flowers P 102
Forkin C 55
Forleo MA 283(A)
Forster GE 602
Forsyth SF 645
Fortenberry JD 727(A)
Francetic I 139(A)
Frankis JS 102
Frattola L 283(A)
Fredlund H 109
Fredlund VG 829
Freedberg KA 282(A)
Freeman R 805
Frisch M 141(A)
Fujiwara H 279(A)
Fuller DE 284(A)
Furlonge C 39, 46

Ganapathy M 124
Ganesh AK 25
Garber G 69(A)
Garland SM 648(C)
Garnett GP 436(A)
Garsia R 744
Gayed SL 349, 501
Gazzard BG 59(C), 281(A), 645
Genç M 522
Gibney L 201
Giele CM 728(A)
Giesecke J 109
Gilroy CB 667
Gilson R 352(A)
Gisselquist D 657(E)
Gisselquist DP 152(E)
Goebel FD 393
Goh BT 584
Gold J 12
Gold RS 475
Goldberg DJ 60(C)
Goldman M 284(A)
Gollnick H 64(C)
Gomberg MA 9(S2)
Gomes JP 540
González M 674
González R 691
Goodgame JC 438(A)
Goorney B 722
Goorney BP 651(C)
Goubenko TV 353(A)
Graham CS 282(A)
Graham MF 727(A)
Graifemberghi S 283(A)
Grappin M 70(A)
Gray B 384
Gray RH 91, 436(A)
Greaves K 261
Green ST 60(C)
Greenop P 744
Grésenguet G 650(C)
Gretton S 174
Grgič-Vitek M 2(S2)
Gridley G 141(A)
Guaschino S 522
Guillemontonia A 547
Gull S 411
Gulletta M 283(A)
Gupta S 277(C)
Guttmacher S 285(E)
Gyarmathy VA 399

Habbema JDF 91
Hafner R 284(A)
Hagan H 618
Haley N 238
Halsos AM 370
Hamaker D 280(A)
Hamers FF 284(A)

Hamouda O 246
Handfield-Jones S 411
Hansell A 352(A)
Hanson D 141(A)
Harindra V 821
Harrison LH 437(A)
Hart GJ 102
Hart R 70(A)
Hartmann M 246
Hartung TK 829
Hawley-Foss N 69(A)
Hay PE 514(C)
Hays RD 593
Heathcock R 352(A)
Heeren T 282(A)
Heine RP 280(A)
Hemmer R 698
Heneine W 554
Héripret-Fredouille L 790
Hernon M 406
Herrmann B 326
Hetrakul P 69(A)
Hicks SJ 755
Hijazi L 587(E)
Hill S 283(A)
Hillman R 283(A)
Hillon P 70(A)
Hirano Y 279(A)
Ho KM 815
Ho PC 66(A)
Hofstetter A 140(A)
Hollier LM 436(A)
Holloway BJ 792
Hong S 568
Hook 3rd EW 142(A)
Hope SC 230, 516
Horner P 801
Horner PJ 667
Horváth A 691
Howards PP 775
Hsin G 311
Huengsberg M 720, 850
Huffman HB 593
Hughes G 140(A)
Hussain A 343
Hutcheson D 280(A)
Huynh B 547
Hwang L-Y 769

Iatesta M 281(A)
Idei S 279(A)
Imamshah W 633
International Valaciclovir HSV Study Group 12
Ioannidis JP 437(A)
Izzedine H 282(A)

Jackson GL 436(A)
Jaconson EL 438(A)
Jaisankar TJ 612
Jaleel H 850
James IR 68(A)
James YM 284(A)
Jamieson DJ 283(A)
Jappe U 246
Jayaweera D 796(C)
Jennings TE 781
Jensen JS 323
Jernigan JA 724
Jian D-M 469
Johannisson G 352(A)
Johansen C 141(A)
John M 68(A)
Johnson MA 792
Johnson PC 284(A)
Jolly PE 39, 46
Jones JL 69(A), 141(A), 554
Jorgensen B 326
Jørgensen HO 19(S2)
Joshi UY 378
Justis JC 706

Kabakchieva E 184
Kalichman SC 677
Kalish ML 554
Kamb ML 281(A)
Kamba M 765
Kanwar AJ 427
Kaplan JE 69(A)
Karapetyan AF 618
Karim SS 67(A)
Kassi P 462
Katlama C 70(A)
Kato M 833
Kaur C 427, 852
Kaur S 852
Kawsar M 273, 584, 602
Kaye S 580
Keane CT 55
Kegg S 582
Keiser P 438(A)
Kell P 4(E), 52, 355(E), 439(E), 587(E)
Kellinger K 280(A)
Kellock DJ 543
Kelly JA 184, 192
Kemény B 691
Kent C 281(A)
Kenyon TA 311
Keogh GL 748
Keše D 5(S2)
Khalaf Y 70(A)
Kigozi G 436(A)
Killough R 22
King DM 59(C)
King MD 724
Kinghorn GR 60(C), 140(A)
Kinn S 352(A)
Kippax S 181
Kjaer SK 19(S2), 141(A), 281(A)
Klavs I 2(S2), 5(S2)
Klein RS 282(A), 283(A)
Klepp KI 714
Klepp K-I 234
Klouman E 234
Kohl PK 79
Kokonya D 437(A)
Kolber M 796(C)
Komolafe AJ 857
Korenromp EL 91
Kou F-XM 650(C)
Koubanova AA 9(S2)
Kovacs A 554
Koziel MJ 282(A)
Krämer A 35(S2)
Kranat S 1(E)
Kreiss JK 141(A)
Krhen I 139(A)
Krohn MA 280(A)
Kuchimanchi U 264
Kumar B 277(C)
Kurien T 124
Kwok C 437(A)

Laga M 66(A)
Lalezari JP 438(A)
Lam SWC 301
Lambert G 238
Lamont RF 449
Langley PC 727(A)
Lapham GP 283(A)
Larsen C 284(A)
Lau R 582
Lau TFJ 301
Launay VV 282(A)
Lavreys L 141(A)
Lawlor J 142(A)
Lawson R 70(A)
Leahy M 722
Leclerc P 238
Lee JD 431(C)
LeMonte A 284(A)
Lentz A 281(A)
Leo S-YL 456
Leong WP 438(A)
Leroy V 69(A)
Lesko V 139(A)
Leung A 801
Leven M 66(A)
Levine WC 280(A)
Li CKP 301
Limb S 602
Lin LS 281(A)
Lind I 326, 826
Liou A 70(A)
Little F 62(C), 67(A)
Lloret P 508
Lloyd M 281(A)
Lo KK 815
Loeb L 765
Loewhagen GB 352(A)
Lombard C 285(E)
Lopez LF 430(C)
Lopez RM 353(A)
Losina E 282(A)
Losoma AJ 171
Lowry DL 280(A)
Lucenko BA 781
Luesley D 850
Luke W 677
Lum JJ 69(A)
Lumbiganon P 486
Luo C-C 171
Luton D 66(A)
Luzzi G 58(B)
Luzzi GA 416
Lyall EG 438(A)

Mabey D 469, 568
McAdam TK 453
McAuliffe TL 184, 192
McCaffrey M 449
McCartney R 352(A)
McClean H 223, 264
McClean HL 378

Macdonald N 352(A)
McGarvey ST 25
Machungo F 326
McIntire D 436(A)
McIntyre JA 281(A)
McKinnon EJ 68(A)
McLaughlin RE 453
McLean K 213
McMorrow S 4(E)
McNicholl B 453
McNutt LA 399
McOwan A 230, 516
MacPhail C 331
Maguire H 352(A)
Mahajan AP 25
Mahe C 141(A)
Mahon BE 727(A)
Mallal SA 68(A)
Malotte KC 281(A)
Malow RM 781
Mandal D 416
Mandalia S 281(A)
Mandaliya K 141(A)
Mandelbrot L 462
Manfredi R 504
Manigart O 69(A)
Manjunath JV 612
Mantell J 131
Mårdh P-A 318, 363(E), 522
Marinaci S 551
Markos AR 215(E), 271, 432(C), 847
Márquez M 674
Marray C 275
Martin Jr HL 141(A)
Martinez-de-Oliveira J 522
Masenga EJ 234
Massad E 430(C)
Mathews C 62(C), 67(A), 285(E)
Matteelli A 283(A)
Mavrov GI 353(A)
Maw R 499, 728(A)
Maw RD 416
Mayanja B 141(A)
Mayer KH 25
Mayfield JA 279(A)
Mbisa G 69(A)
Mbizvo EM 343
Mbizvo M 201
Mbopi-Keou 649
Meda N 69(A)
Meehan M 436(A)
Meier F 284(A)
Meijer CJ 139(A), 281(A)
Meijer CJLM 12(S2), 19(S2), 36
Mellemkjaer L 141(A)
Mercey DE 140(A)
Meyer T 140(A)
Mikhailov MI 9(S2)
Mikl J 399
Millar MR 755
Miller J 68(A)
Miller LG 593
Minichiello V 624
Miyazaki M 833
Moachon L 790
Mockenhaupt M 353(A)
Mocsonoki L 192
Moeti TL 311
Mohsen AH 60(C)
Molano E 508
Molassiotis A 301
Mommers JM 45(S2)
Moodley P 559
Moore AL 792
Moore CB 68(A)
Morgan D 141(A)
Morison L 280(A)
Morlese JF 59(C)
Morre SA 139(A)
Morré SA 12(S2), 19(S2), 36
Morrison CS 437(A)
Morse A 728(A)
Morse DL 399
Moulton LH 436(A)
Mouton JW 23(S2), 26(S2)
Moxham C 142(A)
Moyle GJ 281(A)
Mrus JM 282(A)
Msellati P 69(A), 462
MSSVD Group 499
Muench P 140(A)
Mukherjee S 201
Mulcahy F 55
Munjoma M 343
Munk C 19(S2)
Murphy RL 12, 438(A), 728(A)
Mwale M 765
Mwamba KJ 171
Mwandagalirwa K 171
Myer L 62(C), 67(A)

Nagy K 691
Nahas-Lopez V 301
Nakamura T 181
Nakielny RA 649(C)
Naldi L 353(A)
Nandwani R 587(E)
Narayanan M 805
Narouz N 517(E)
Nash J 829
Ncube F 352(A)
Ndinya-Achola JO 141(A)
Ndongala LM 171
Nelson AL 29
Nelson Jr RP 284(A)
Nelson M 580, 860(C)
Nelson MR 59(C), 645
Nepon L 706
Ng EH 66(A)
Ng TT 283(A)
Ngubane N 829
Nolan D 68(A)
Nørgaard C 826
Notowicz A 727(A)
Novikova N 318, 522
Nwokolo NC 137(C)
Nyamapfeni P 765
Nyange PM 141(A)
Nzilambi NE 171
Nzimande G 559

Obara H 279(A)
O'Brien KL 436(A)
Ocana I 353(A)
O'Farrell N 67(A)
Okong P 729
Okongo JM 141(A)
Olcén P 109
Olsen JH 141(A)
Ooi C 761
Opaneye AA 268
Ord J 640
Ostrovsky DV 618
O'Sullivan B 135
Ouafae B 839
Oury JF 66(A)
Oxman A 285(E)

Padian N 765
Paffel JM 280(A)
Page KB 649(C)
Pahissa A 353(A)
Paine K 280(A)
Palacios R 674
Panayiotidou D 373
Panburana P 69(A)
Pandhi D 564
Panwalker A 706
Paramsothy P 283(A)
Parkin JM 283(A)
Paton NI 456
Patrizio C 174
Pattman RS 133, 510, 805
Pattyn S 66(A)
Paulino A 540
Pawar N 1(E)
Pearson S 425
Peeling RW 469, 568
Peeters MF 23(S2), 26(S2)
Pena JM 284(A)
Perlino CA 724
Persson K 326, 363(E)
Peterman TA 281(A)
Petit JM 70(A)
Petzoldt D 246
Phaupradit W 69(A)
Piaggio G 486
Pilon AA 69(A)
Pinching AJ 283(A)
Pinkerton SD 384
Pinol A 486
Piroth L 70(A)
Pitkin J 449
Piyadigamage A 577
Plummer D 624
Portier H 70(A)
Postma MJ 139(A)
Potočnik M 2(S2)
Potterat J 657(E)
Pou L 353(A)
Poulsen P 826
Poveda JD 284(A), 547
Poynard T 70(A)
Prabhakar P 39, 46
Pramod NP 124
Prasad VVSP 115
Price D 355(E)
Prüfer-Krämer L 35(S2)

Qazi NA 59(C)
Qianhong Y 568
Quin J 748
Quinn J 142(A)
Quinn TC 142(A), 171, 436(A)

Radcliffe K 71
Radebe F 323
Raffanti SP 438(A)
Raghu TY 855
Rajae EA 839
Rajae M 839
Rajamanoharan S 168
Rajendran P 124
Ramus RM 279(A)
Randrianasolo D 606
Rani R 22
Rao A 39, 46
Rao UA 124
Rasamilalao D 606
Ratsimbazafy N 606
Rauane PJ 438(A)
Rawstorne P 181
Razum O 633
Reddy BSN 564
Redondo P 508
Rees VH 281(A)
Regez RM 30(S2)
Respess R 554
Reynolds B 281(A)
Reynolds SJ 171
Rhodes F 281(A)
Ribera E 353(A)
Richardson BA 141(A)
Riddell LA 283(A)
Risa KJ 706
Robb M 436(A)
Robertson P 761
Robinson AJ 420
Rodrigues AG 522
Rodrigues LC 5(S2)
Rodriguez II 25
Rogers PA 140(A)
Rogl-Butina M 2(S2)
Rogstad KE 1(E), 420, 495, 843
Rompa D 677
Rompalo A 283(A)
Rompalo AM 142(A)
Rosenberg ES 282(A)
Rosenman MB 727(A)
Ross JDC 499, 720
Ross MW 769
Rothenberg R 657(E)
Røttingen JA 436(A)
Roujeau JC 353(A)
Rousseau F 142(A)
Roy É 238
Rozendaal L 12(S2)
Ruiz I 353(A)
Ruiz J 674

Sabin C 261
Sadeghi-Nejad H 355(E)
Saekhou A 554
Safaeian M 282(A)
Sahni AK 115
Sakondhavat C 444
Salmon-Céron D 790
Sam NE 234
Sanchez PJ 436(A)
Sankar KN 133, 510, 805
Santoro-Lopes G 437(A)
Santos R 674
Sarkar R 427
Sato I 279(A)
Saunders DS 683
Savonius H 284(A)
Schacher TW 12
Schechter M 437(A)
Scherf C 280(A)
Schmid G 285(E)
Schmidt K 433(C)
Schneede P 140(A)
Schoenwald S 139(A)
Scholes P 651(C)
Schrader SR 438(A)
Schreij G 30(S2)
Schrooten W 393, 698
Schulte JM 280(A)
Schuman P 282(A)
Schurman SJ 284(A)
Schutten M 86
Scoppettuolo G 551
Scott LL 436(A)
Scoular A 352(A)
Seaman P 142(A)
Séhonou J 650(C)
Seidenberg P 201
Sekadde-Kiondu C 437(A)
Semba RD 119
Serwadda D 91, 436(A)
Seth P 115
Sewankambo NK 91, 436(A)
Shah K 282(A)
Shah N 119
Sheffield JS 279(A)
Sherr L 139(A), 727(A)
Shibahara H 279(A)
Shultz M 280(A)
Sia EM 343
Sibony O 66(A)
Sicard D 790
Sinei SK 437(A)
Singh N 706
Sirinavin SS 69(A)
Skerk V 139(A)
Slomka MJ 514(C)
Smith A 801
Smith KA 438(A)
Smith NA 261
Smith WJ 728(A)
Sobel J 283(A)
Sobel JD 358(E)
Soh C-H 456
Sokolovsky YV 618
Solomon S 25
Solomon SS 25
Sombie I 69(A)
Sönmez S 729, 733
Soothill PW 755
Sparks R 647(C)
Spencer R 801
Sperandeo D 284(A)
Stanzani L 283(A)
Stary A (S1)
STD Study Group 124
Steele RH 748
Steen R 279(A)
Steinhart CR 438(A)
St-Louis ME 280(A)
Stockfleth E 140(A)
Stojkova V 748
Strapac Z 139(A)
Straughair G 261
Stray-Pedersen B 343
Sturm AW 559
Sturm PDJ 559
Sudaryo MK 91
Suligoi B 284(A)
Sullivan DJ 55
Sullivan PS 554
Sundby J 714
Sundin D 438(A)
Suzuki T 279(A)
Svare EI 281(A)
Švab I 5(S2)
Sweet RL 280(A)
Számadó S 399

Taffa N 714
Takagi S 833
Takamizawa S 279(A)
Talbot EA 311
Talbot MD 649(C)
Tamburrini E 551
Tan BM 284(A)
Tan KM 456
Tan M-L 469
Taneepanichskul S 69(A)
Tang A 168, 573
Tang OS 66(A)
Tapi D 462
Tariq A 720
Taylor A 70(A)
Taylor GP 438(A)
Taylor S 801
Taylor-Robinson D 145(E), 323, 449, 667
Tchamouroff S 283(A)
Tedoldi S 283(A)
Thakkinstian A 69(A)
Thami GP 427, 852
Thappa DM 612
Theobald NJA 230, 516
Thibault V 70(A)
Thin RN 140(A)
Thomas B 667
Thomas JC 775
Thomas RP 399
Thornton S 482
Thyagarajan SP 25, 124
Timmins DJ 210, 857
Tobin JM 821
Tobin R 52
Tokunaga M 650(C)
Tomlinson D 438(A)
Tremolizzo L 283(A)
Trikalinos TA 437(A)
Turnbaeck P 352(A)
Turner JH 554
Tyrer MJ 792

Ujhelyi E 399
Underhill G 821
Une H 833
Unemo M 109
Upton RP 68(A)
Uusküla A 79

van Benthem B 284(A)
Van de Ven P 181

van den Brule AJ 139(A), 281(A)
van den Brule AJC 12(S2), 19(S2), 36
van den Hoek A 284(A)
van der Ende ME 30(S2)
van der Meer JTM 30(S2)
van der Meijden WI 1(S2), 23(S2), 45(S2), 254, 727(A)
Van Dyck E 66(A)
van Rijsoort-Vos JH 23(S2), 26(S2)
van Steenbergen JE 86
van Valkengoed IG 139(A)
van Valkengoed IGM 36
Van-Damme L 66(A)
Várkonyi V 691
Vashisht A 261
Vassileva S 184
Veeranna S 855
Verkooyen RP 1(S2), 23(S2), 26(S2)
Vernazza P 284(A)
Viboud C 353(A)
Vidhani S 564
Viegas S 540
Viho I 69(A), 462
Villar J 486
Vincelette J 238
Visconti E 551
Vlahov D 119
Voorhorst FJ 12(S2)
Vukovic J 139(A)
Vyse AJ 514(C)

Wabwire-Mangen F 436(A)
Wade AAH 63(C), 178
Wagener MM 706
Wagner S 140(A)
Wagner U 633
Walboomers JM 281(A)
Walensky RP 282(A)
Walker A 352(A)
Walker BD 282(A)
Wallace DMA 517(E)
Walraven G 280(A)
Walsh JC 727(A)
Wang G-J 469
Wang Q-Q 469
Warburton F 352(A)
Waugh M 48(S2)
Wawer MJ 91, 436(A)
Weaver S 223
Webber J 482
Weidmer BA 593
Weiner DH 437(A)
Weiss H 39, 46
Welch K 728(A)
Welffens-Ekra C 462
Welles SL 67(A)
Wellings K 5(S2)
Wendel Jr GD 279(A), 436(A)
Wenyan X 568
West B 280(A)
Wheat LJ 284(A)
Wheeler DA 438(A)
Whitworth JA 141(A)
WHO Antenatal Care Trial Research Group 486
Wickramasinghe TK 843
Wiesenfeld HC 280(A)
Wiggins R 755
Wilkinson D 67(A), 281(A)
Williams BG 331
Williams ML 769
Williamson J 69(A)
Williamson LM 102
Wilson J 216
Wilson JD 577
Winston A 213
Winther JF 19(S2)
Wolin MJ 438(A)
Worm AM 281(A)

Xin C 568

Yanan W 568
Yang P 469
Yao A 462
Yassievich E 318
Young H 174
Young Y 352(A)
Yu CH 729, 733
Yu E 282(A)

Zack C 769
Zanconato G 326
Zenilman J 281(A)
Zenilman JM 142(A)
Zhong M-Y 469
Zvartau EE 618
Zwarenstein M 285(E)

Subject Index

(A) Abstracts (C) Correspondence (E) Editorial review (S1) Supplement 1 (S2) Supplement 2

ABORTION:
endometritis — myometritis and HIV infection 729
legal or illegal, syphilis, gonorrhoea and chlamydial infection among women undergoing in Maputo 326

ACICLOVIR:
prophylaxis in late pregnancy prevents recurrent genital herpes and viral shedding 66(A)
suppression to prevent clinical recurrences at delivery after first episode genital herpes in pregnancy: an open-label trial 436(A)
versus valaciclovir for herpes simplex virus infection in HIV-infected individuals: two randomized trials 12

ADHERENCE:
to antiretroviral medication in HIV-infected patients, factors associated with 301
mean cell volume (MCV) changes in HIV-positive patients taking nucleoside transcriptase inhibitors (NRTIs), a surrogate marker for adherence 748

ADOLESCENT CLINICS:
dedicated, need for more in genitourinary medicine 4(E)
an urban epidemic — an audit of an inner city young persons' clinic 52

ADOLESCENTS:
Eastern European, sexual activity and condom use — Study of Hungarian Adolescent Risk Behaviours 399
risk behaviours and prevalence of *Chlamydia trachomatis* and *Neisseria gonorrhoeae* genital infections among Montreal street youth 238
self-collection of vaginal swabs for the detection of chlamydia, gonorrhoea, and trichomoniasis: opportunity to encourage sexually transmitted disease testing 280(A)
sexual behaviour in a low-income high school setting in Stockholm 160
standards for comprehensive sexual health services for young people under 25 years 420

AGE: decreasing prevalence of human papillomavirus infection in Danish female sex workers with, despite continuously high sexual activity 281(A)

AIDS:
an appraisal of antiretroviral drugs in haemodialysis 282(A)
awareness and sexual behaviour in a high HIV prevalence area in rural northern Kwazulu-Natal, South Africa 829
clinical profile of end-stage in era of highly active antiretroviral therapy 728(A)
Cushing's syndrome mimicking lipodystrophy syndrome 648(C)
effects of mood states on AIDS-related judgements of gay men 475
and HIV, a systematic review of strategies for partner notification for sexually transmitted diseases 285(E)
and HIV infection, alternative therapies for: how safe is Internet advice? A pilot study 433(C)
phase III study of recombinant human interferon gamma to prevent opportunistic infections in advanced HIV disease 283(A)
sexual activity and condom use among Eastern European adolescents — Study of Hungarian Adolescent Risk Behaviours 399
successful discontinuation of fluconazole as secondary prophylaxis for cryptococcosis in patients responding to highly active antiretroviral therapy 702

ALTERNATIVE MEDICINE:
and complementary medicine, dark side 797
therapies for HIV/AIDS: how safe is Internet advice? A pilot study 433(C)

5-AMINOLEVULINIC ACID: fluorescence urethroscopy following instillation of: a new procedure for detecting clinical and subclinical HPV lesions of the urethra 140(A)

AMPHOTERICIN B: liposomal, *versus* itraconazole, clearance of fungal burden during treatment of disseminated histoplasmosis 284(A)

ANAEMIA:
risk factors and cumulative incidence of, among HIV-infected injection drug users 119
transient haemolytic due to ecstasy in a patient on HAART 651(C)

ANAL INTERCOURSE: unprotected, with regular and with casual partners among Australian gay and homosexually active men is associated with HIV treatment optimism 181

ANAL WARTS: resistant perianal in a renal transplant patient, topical imiquimod cream 5% 349

ANOGENITAL CANCER: and other cancer, risk for among women hospitalized with gonorrhoea 141(A)

ANOGENITAL WARTS:
cost-effectiveness of imiquimod 647(C)
external, in HIV-infected persons, efficacy and tolerability of topical 1% cidofovir cream for the treatment of 283(A)
five-year audit of treatment by day case electrosurgery under general anaesthesia 786
importance of patient and healthcare provider perceptions in the evaluation of imiquimod and other prior treatments 29
resistant, use of imiquimod 275

ANTENATAL UNITS: management of HIV infection and pregnancy in England's North Thames Region 1999: a survey of practice in 21 hospitals 438(A)

ANTIBIOTIC RESISTANCE:
gonorrhoea in a London GUM clinic 137(C)
gonorrhoea in Newcastle, England 805
one year of *Neisseria gonorrhoeae* isolates in Sweden: the prevalence study of antibiotic susceptibility shows relation to the geographic area of exposure 109

ANTIBIOTIC SUSCEPTIBILITY: prevalence study of showing relation to the geographic area of exposure, one year of *Neisseria gonorrhoeae* isolates in Sweden 109

ANTIBODY:
Chlamydia trachomatis, value of in predicting tubal pathology at laparoscopy, measurement of serum CA-125 concentrations does not improve this 66(A)
evaluation of a rapid test for detection of human immunodeficiency virus type 1 and 2 in the setting of multiple viral subtypes 171
salivary IgA and serum IgA and IgG antibodies to *Candida albicans* in HIV-infected subjects 373

ANTIMICROBIAL RESISTANCE:
antimicrobial susceptibility of *Neisseria gonorrhoeae* strains isolated in Nuuk, Greenland during 1998–1999 826
gonorrhoea treatment in genitourinary medicine clinics in the UK 499

ANTIRETROVIRAL DRUGS:
an appraisal of in haemodialysis 282(A)
gynaecomastia, tamoxifen in 582

low prevalence of resistance among persons recently infected with HIV in two US cities 554
and stanozolol; successful treatment of skin popping ulceration in HIV patient 508
ANTIRETROVIRAL THERAPY:
asymptomatic lactic acidemia and lower weight pre-therapy, association with osteopenia in HIV-infected men 68(A)
chronic hyperlactatemia in HIV-infected patients taking 68(A)
factors associated with adherence to in HIV-infected patients 301
HIV-hepatitis C virus coinfected patients undergoing, association between insulin resistance and hepatitis C virus chronic infection 70(A)
life-long treatment of congenital HIV disease, associated with a mixed fat redistribution syndrome and osteopenia already occurring during pre-pubertal age 504
osteonecrosis of knee 792
patient preferences 593
recurrent hypersensitivity to Combivir 213
ARTHRITIS: reactive, sexually acquired, *Shigella sonnei* as another cause 135
ASSISTED REPRODUCTION: population seeking, screening for HIV, hepatitis B and C infection in an inner London hospital 70(A)
AUDIT:
chlamydial coinfection among patients with gonorrhoea 261
evaluation of applicability of quantitative clinical standards for management of genital chlamydial infection using an electronic database 378
five-year of treatment of extensive anogenital warts by day case electrosurgery under general anaesthesia 786
of hepatitis B immunization at the genitourinary medicine department in Middlesbrough, UK 268
of an inner city young persons' clinic, an urban epidemic 52
multidistrict, of the management of chlamydial PID in genitourinary medicine clinics in Yorkshire 264
of official STD returns from genitourinary medicine 720
outpatient management of pelvic inflammatory disease 577
AZITHROMYCIN: or doxycycline treatment, duration of clinical symptoms in female patients with acute urethral syndrome caused by *Chlamydia trachomatis* 139(A)

BACTERIAL VAGINOSIS:
application of novel human cervical mucin-based assay demonstrates absence of increased mucinase activity 755
in climacteric and menopausal women 449
diagnosis on self-collected vaginal tampon specimens 559
longitudinal analysis of: findings from the HIV epidemiology research study 283(A)
opportunist screening for chlamydia, screening of positive patients for coinfections 821
BEHAVIOUR SENTINEL SURVEILLANCE: for female sex workers in the Social Hygiene Service in Hong Kong (1999–2000) 815
BISEXUAL MEN: and gay men in Budapest, Hungary, HIV risk behaviour among 192
BLACK SOUTH AFRICAN MEN: observations on the microbiology of urethritis in 323
BLOOD SPOTS, DRIED: valuable tool for HIV surveillance in developing/tropical countries 25
BONE METABOLISM: in children with human immunodeficiency virus infection receiving highly active anti-retroviral therapy including a protease inhibitor 284(A)
BOOKS REVIEWED:
Bradbeer C, ed, Thrush, cystitis and women's genital symptoms 652
Nickel JC (ed), Textbook of prostatitis 58
Tapper A, Mothers and children confronting HIV: challenges, choices, lessons learned 652

CA-125 SERUM CONCENTRATION: measurement of does not improve the value of *Chlamydia trachomatis* antibody in predicting tubal pathology at laparoscopy 66(A)
CANCER: anogenital and other, risk for among women hospitalized with gonorrhoea 141(A)
CANDIDA ALBICANS: salivary IgA and serum IgA and IgG antibodies to, in HIV-infected subjects 373
CANDIDA DUBLINIENSIS: candidaemia in an HIV-positive patient in Ireland 55
CANDIDIASIS: vulvovaginal, a comparison of HIV-positive and HIV-negative women 358(E)
CANDIDOSIS, RECURRENT VULVOVAGINAL:
facts and myths — review on epidemiology, clinical manifestations, diagnosis, pathogenesis and therapy 522
microscopy of stained smears of vaginal secretion in the diagnosis of 318
CARE, CHILDREN IN: coitarche and care; experience of the 'looked after' system effect on timing of woman's sexual debut 805
CEFIXIME: oral, and intramuscular ceftriaxone for the treatment of gonorrhoea in pregnancy, a randomized trial for comparison 279(A)
CEFTRIAXONE: intramuscular, and oral cefixime for the treatment of gonorrhoea in pregnancy, a randomized trial for comparison 279(A)
CENSUS: consultant workforce for genitourinary medicine 1999 1(E)
CEREBROSPINAL FLUID: and plasma of patients with HIV dementia, increased glutamate in 283(A)
CERVICAL MUCIN-BASED ASSAY: demonstrates absence of increased mucinase activity in bacterial vaginosis 755
CERVICAL SQUAMOUS INTRAEPITHELIAL LESIONS:
association with HIV-1 infection among Zimbabwean women in an HIV/STI prevention study 765
in HIV-infected women: prevalence and incidence and regression. European Study Group on Natural History of HIV Infection in Women 284(A)
CERVICITIS: *Mycoplasma genitalium* — an up-date 145(E)
CHANCRE: relapse of early syphilis on first line treatment 722
CHANCROID: eradicating 279(A)
CHEMOPROPHYLAXIS: for tuberculosis and survival of HIV-infected patients in Brazil 437(A)
CHILDREN:
18-month mortality and perinatal exposure to zidovudine in West Africa 69(A)
coitarche and care; experience of the 'looked after' system effect on timing of woman's sexual debut 805
with human immunodeficiency virus infection receiving highly active anti-retroviral therapy including a protease inhibitor, bone metabolism in 284(A)
sexual behaviour in a low-income high school setting in Stockholm 160
syphilis among HIV-infected mothers and their infants in Texas from 1988 to 1994 280(A)
CHLAMYDIA TRACHOMATIS:
asymptomatic, prevalence and persistence in urine specimens from Danish male military recruits 19(S2)
asymptomatic infections, cost effectiveness analysis of a population based screening programme in women by means of home obtained urine specimens 139(A)
asymptomatic infections, questions on sexual behaviour and the method of sample collection effects on participation in a screening programme in primary care 36

causing acute urethral syndrome, duration of clinical symptoms in female patients treated with azithromycin or doxycycline 139(A)
feasibility of testing for in general population sexual behaviour survey in Slovenia 5(S2)
infection, infertile women with, usefulness of transvaginal hydrolaparoscopy in investigating 279(A)
infection and non-gonococcal urethritis in homosexual and heterosexual men in Edinburgh 425
infection in Glasgow, the 'real-world' impact of improved diagnostic techniques for 352(A)
infection in males and consequences for their female sexual partners, an example from rural Kilimanjaro, Tanzania 234
natural course of asymptomatic infections, 45% clearance and no development of clinical PID after one-year follow-up 12(S2)
and *Neisseria gonorrhoeae*, a retrospective study of clinical effectiveness of treatment of genital coinfection in Coventry 178
and *Neisseria gonorrhoeae*, detection of by enzyme immunoassay, culture and three nucleic acid amplification tests 66(A)
and *Neisseria gonorrhoeae* genital infections, risk behaviours and prevalence of among Montreal street youth 238
and *Neisseria gonorrhoeae* postpartum infections 727(A)
observations on the microbiology of urethritis in black South African men 323
role for rapid tests 22
screening for non-gonococcal urethritis in men attending genitourinary medicine departments 667
sensitivity and specificity of three new commercially available tests 23(S2)
sensitivity evaluation of the Gen-Probe AMP-CT assay by pooling urine samples for screening of urogenital infection 540
tubal factor pathology caused by; role of serology 26(S2)
value of antibody in predicting tubal pathology at laparoscopy, measurement of serum CA-125 concentrations does not improve this 66(A)

CHLAMYDIAL INFECTION:
co-existing, the *sac-4* gene of *Neisseria gonorrhoeae* correlates with gonococcal subtype 174
coinfection among patients with gonorrhoea 261
genital, evaluation of the applicability of quantitative clinical standards for management using an electronic database 378
genital, is there a need for rescreening of patients treated for 363(E)
and gonorrhoea, proportion of episodes becoming symptomatic 91
and gonorrhoea and trichomoniasis, self-collection of vaginal swabs for detection: opportunity to encourage sexually transmitted disease testing among adolescents 280(A)
infection in men 861(C)
inside out 406
in males and consequences for their female sexual partners, an example from rural Kilimanjaro, Tanzania 234
opportunist screening, screening of positive patients for coinfections 821
pelvic inflammatory disease, a multidistrict audit of management in genitourinary medicine clinics in Yorkshire 264
syphilis and gonorrhoea among women undergoing legal or illegal abortion in Maputo 326

CIDOFOVIR: topical 1% cream, efficacy and tolerability for the treatment of external anogenital warts in HIV-infected persons 283(A)

CIPROFLOXACIN: high incidence of treatment failure of *Neisseria gonorrhoeae* isolates in male gonococcal urethritis in Delhi 564

CIRCUMCISION STATUS: male, misclassification of, fleeting foreskins 281(A)

COCAINE:
drug use and HIV risk in Trinidad and Tobago, qualitative study 633
sexual risk behaviour and STIS in drug abuse treatment populations whose drug of choice is crack cocaine 769

COINFECTION:
chlamydial, among patients with gonorrhoea 261
genital, with *Neisseria gonorrhoeae* and *Chlamydia trachomatis*, retrospective study of clinical effectiveness of treatment in Coventry 178
with HIV and hepatitis C virus, factors affecting liver fibrosis in patients: impact of protease inhibitor therapy 70(A)
with HIV and hepatitis C virus in patients undergoing antiretroviral therapy, association between insulin resistance and hepatitis C virus chronic infection 70(A)
modification of syphilitic genital ulcer manifestations by coexistent HIV infection 142(A)
opportunist screening for chlamydia, screening of positive patients for coinfections 821
the *sac-4* gene of *Neisseria gonorrhoeae* correlates with gonococcal subtype not co-existing chlamydial infection 174

COITARCHE: and care; experience of the 'looked after' system effect on timing of woman's sexual debut 805

COMBIVIR: recurrent hypersensitivity 213

COMMERCIAL SEX WORKERS:
behaviour sentinel surveillance for female sex workers in the Social Hygiene Service in Hong Kong (1999–2000) 815
human papillomavirus infection in Danish female sex workers. Decreasing prevalence with age despite continuously high sexual activity 281(A)
prevalences of and risk factors for sexually transmitted diseases among Japanese females in middle- and high-class soaplands in Japan 833
syphilis among intravenous drug-using population; epidemiological situation in St Petersburg, Russia 618

COMMUNITY INTERVENTION: bar-based, peer-led sexual health promotion, community-level effect amongst gay men in Scotland 102

COMPLEMENTARY MEDICINE: and alternative medicine, dark side 797

CONDOMS:
acceptability of female condoms in Bangui, Central African Republic, prospective study 649(C)
challenges to female condom integration into condom programming 444
challenges to integration of female condoms into condom programming 444
distribution: a cost-utility analysis 384
the fate of free male condoms distributed to the public in South Africa 67(A)
measuring consistent use of: a comparison of cross-sectional and prospective measurements in South Africa 62(C)
psychosocial determinants of sexual activity and condom use intention among youth in Addis Ababa, Ethiopia 714
use and sexual activity among Eastern European adolescents—the Study of Hungarian Adolescent Risk Behaviours 399

CONSULTANTS: workforce for genitourinary medicine 1999 1(E)

CONTACT TRACING: an evaluation of the applicability of quantitative clinical standards for the management of genital chlamydial infection using an electronic database 378

CONTRACEPTION:
acceptability of the female condom in different groups of women in South Africa—a multicentred study to inform the national female condom introductory strategy 281(A)

emergency contraceptive pill and sexual risk behaviour 482
for HIV-1-infected women, appropriateness of intrauterine device 437(A)
hormonal, and risk of sexually transmitted disease acquisition: results from a prospective study 141(A)
protected sexual intercourse and incidence of pregnancies among African HIV-infected women 462
COST EFFECTIVENESS:
analysis of a population based screening programme for asymptomatic *Chlamydia trachomatis* infections in women by means of home obtained urine specimens 139(A)
condom distribution: a cost-utility analysis 384
CRYOTHERAPY: and podophyllotoxin, treatment for facial molluscum 277(C)
CRYPTOCOCCAL MENINGITIS: paradoxical recurrent meningitis following therapy; immune reconstitution syndrome after initiation of highly active antiretroviral therapy 724
CRYPTOCOCCOSIS: successful discontinuation of fluconazole as secondary prophylaxis in AIDS patients responding to highly active antiretroviral therapy (HAART) 702
CULTURE:
and enzyme immunoassay and three nucleic acid amplification tests, detection of *Chlamydia trachomatis* and *Neisseria gonorrhoea* by 66(A)
microscopy of stained smears of vaginal secretion in the diagnosis of recurrent vulvovaginal candidosis 318
CUSHING'S SYNDROME: mimicking lipodystrophy syndrome in a patient with AIDS 648(C)
CYTOMEGALOVIRUS: herpes simplex virus and human papilloma virus DNA frequency in semen 547

DATABASE, ELECTRONIC: evaluation of the applicability of quantitative clinical standards for the management of genital chlamydial infection 378
DEMENTIA: HIV, increased glutamate in CSF and plasma 283(A)
DENTAL SERVICES: availability for patients with blood-borne viruses 543
DERMATOLOGY: Dutch dermatologists and venereology. Inquiry among all non-academic dermatologists in The Netherlands 45(S2)
DEVELOPING COUNTRIES: tropical countries, dried blood spots (DBS): a valuable tool for HIV surveillance in 25
DIAGNOSTIC TECHNIQUES: improved, the 'real-world' impact of for *Chlamydia trachomatis* infection in Glasgow 352(A)
DIETARY ADVICE: with or without pravastatin for the management of hypercholesterolaemia associated with protease inhibitor therapy 281(A)
DISCORDANT RESPONSE: effect of cessation of highly active antiretroviral therapy during: implications for scheduled therapeutic interruptions 69(A)
DOCTORS: survey of non-consultant career grade doctors in genitourinary medicine; their knowledge of guidelines and their access to information technology 2001 805
DONOVANOSIS:
in India: decline 277(C)
oral 855
DOXYCYCLINE:
or azithromycin treatment, duration of clinical symptoms in female patients with acute urethral syndrome caused by *Chlamydia trachomatis* 139(A)
relapse of early syphilis on first line treatment 722
DRIED BLOOD SPOTS: valuable tool for HIV surveillance in developing/tropical countries 25
DRUG ABUSE:
and HIV risk in Trinidad and Tobago, qualitative study 633
HIV-infected injection drug users, risk factors and cumulative incidence of anaemia 119
sexual risk behaviour and STIS in treatment populations whose drug of choice is crack cocaine 769
syphilis among intravenous user population; epidemiological situation in St Petersburg, Russia 618
DYSAESTHETIC PENODYNIA AND SCROTODYNIA:
genital pain of unknown aetiology 215(E)
the male genital skin burning syndrome 271

ECSTASY: transient haemolytic anaemia in a patient on HAART 651(C)
ELECTROSURGERY: five-year audit of treatment of extensive anogenital warts by day case electrosurgery under general anaesthesia 786
ELEPHANTIASIS: genital 427
EMERGENCY CONTRACEPTIVE PILL: sexual risk behaviour 482
ENDOMETRITIS:
Mycoplasma genitalium — an up-date 145(E)
post-abortion and HIV infection 729
ENZYME IMMUNOASSAY:
and culture and three nucleic acid amplification tests, detection of *Chlamydia trachomatis* and *Neisseria gonorrhoeae* by 66(A)
investigation of isolated positive syphilis (ICE Murex) results 761
EPIDEMIC: urban — an audit of an inner city young persons' clinic 52
EPIDEMIOLOGY:
interactions between classic sexually transmitted diseases and HIV, systematic review 436(A)
molecular, genomic diversity of human immunodeficiency virus type-1 in India 115
one year of *Neisseria gonorrhoeae* isolates in Sweden: the prevalence study of antibiotic susceptibility shows relation to the geographic area of exposure 109
ERECTILE DYSFUNCTION:
in the HIV-positive patient: to treat or not to treat? An ethical dilemma 355(E)
with urinary incontinence and groin and testicular pain, spinal schwannoma as cause 584
ESTHIOMENE: genital elephantiasis 427
ETHICS: dilemma, erectile dysfunction in the HIV-positive patient: whether to treat or not 355(E)
ETHNIC MINORITIES: high levels of sexual HIV/STD risk behaviour among Roma (Gypsy) men in Bulgaria: patterns and predictors of risk in a representative community sample 184
EUROPEAN STUDY GROUP ON NATURAL HISTORY OF HIV INFECTION IN WOMEN: cervical squamous intraepithelial lesions in HIV-infected women: prevalence and incidence and regression 284(A)
EXCITOTOXICITY: increased glutamate in CSF and plasma of patients with HIV dementia 283(A)
EXPOSURE SCREENING INSTRUMENT: Audio-CASI *vs* interview method of administration of an HIV/STD screening instrument for teenagers 781

FAT REDISTRIBUTION SYNDROME: and osteopenia already occurring during pre-pubertal age; life-long antiretroviral treatment of congenital HIV disease 504
FEMALE CONDOMS:
acceptability of, in different groups of women in South Africa — a multicentred study to inform the national female condom introductory strategy 281(A)
acceptability of in Bangui, Central African Republic, prospective study 649(C)
challenges to integration into condom programming 444

FEMALE GENITAL MUTILATION:
case report and discussion 850
the long-term reproductive health consequences in rural Gambia: a community-based survey 280(A)
FINANCIAL SITUATION: of people living with HIV in Europe 698
FLUCONAZOLE: successful discontinuation as secondary prophylaxis for cryptococcosis in AIDS patients responding to highly active antiretroviral therapy 702
FLUORESCENCE URETHROSCOPY: following instillation of 5-aminolevulinic acid: a new procedure for detecting clinical and subclinical HPV lesions of the urethra 140(A)
FORESKIN: fleeting: the misclassification of male circumcision status 281(A)
FRACTURE, MARCH: in patient with osteoporosis on long-term HAART 645
FUNGAL BURDEN: clearance during treatment of disseminated histoplasmosis with liposomal amphotericin B *versus* itraconazole 284(A)

GABAPENTIN: vulvodynia—new and more effective approaches to therapy 210
GENDER DIFFERENCE: relative risk of HIV infection among young men and women in a South African township 331
GENERAL PRACTITIONERS: a questionnaire survey of views, sexual health provision and the Sexual Health and HIV Strategy for England 230
erratum 516
GENITAL CHLAMYDIAL INFECTIONS: need for rescreening of treated patients 363(E)
GENITAL CUTTING: female, the long-term reproductive health consequences of, in rural Gambia: a community-based survey 280(A)
GENITAL DISCHARGE: laboratory diagnosis of sexually transmitted infections in women with genital discharge in Madagascar; implications for primary care 606
GENITAL INFECTIONS: *Chlamydia trachomatis* and *Neisseria gonorrhoeae*, risk behaviours and prevalence among Montreal street youth 238
GENITAL PAIN: of unknown aetiology 215(E)
GENITAL SKIN BURNING SYNDROME: male, (dysaesthetic peno/scroto-dynia) 271
GENITAL ULCER DISEASE:
syphilitic, modification of manifestations by coexistent HIV infection 142(A)
validation of syndromic algorithm for management in China 469
GENITAL ULCERS:
eradicating chancroid 279(A)
in rural Uganda: sexual activity, treatment-seeking behaviour and the implications for HIV control 141(A)
syphilitic, modification of manifestations by coexistent HIV infection 142(A)
targeted interventions required against in African countries worst affected by HIV infection 67(A)
GENITAL WARTS:
information-giving to patients with at a genitourinary medicine clinic: a baseline assessment 223
retrospective analysis of costs and patterns of treatment in The Netherlands 727(A)
treatment of—evidence for 216
GENITOURINARY MEDICINE:
audit of official STD returns 720
chlamydia—inside out 406
consultant workforce 1999 1(E)
haematospermia 517(E)
is there a need for more dedicated adolescent clinics? 4(E)
Medical Workforce Speciality Review for Genitourinary Medicine 2001/2002—England, Wales, Northern Ireland and Scotland 495
screening for non-gonococcal urethritis in men attending 667
survey of non-consultant career grade doctors; their knowledge of guidelines and their access to information technology 2001 805
an urban epidemic—an audit of an inner city young persons' clinic 52
GENITOURINARY MEDICINE CLINICS:
characteristics of those who repeatedly acquire sexually transmitted infections: a retrospective cohort study of attendees at three urban sexually transmitted disease clinics in England 140(A)
efficacy and safety of penile biopsy 573
gonorrhoea treatment in the UK 499
hepatitis C diagnosis in semi-rural clinic 847
information-giving to patients with genital warts at: a baseline assessment 223
London, antibiotic-resistant gonorrhoea in 137(C)
national survey of, chronic prostatitis/chronic pelvic pain syndrome 416
patients attending having HIV tests 843
recurrent genital herpes in a population attending a clinic for sexually transmitted diseases 352(A)
seroepidemiological analysis of risk factors for herpes simplex virus type 2 512(C)
the value of in the recognition and diagnosis of new cases of hepatitis C in the United Kingdom 60(C)
in Yorkshire, a multidistrict audit of the management of chlamydial PID 264
GENITOURINARY MEDICINE DEPARTMENT:
comparison of demographic details, source of referral, and spectrum of infection in patients under 16 years attending Singleton Hospital 859(C)
in Middlesbrough, UK, audit of hepatitis B immunization 268
GENOMIC DIVERSITY: of human immunodeficiency virus type-1 in India 115
GEN-PROBE AMP-CT ASSAY: sensitivity evaluation by pooling urine samples for screening of *Chlamydia trachomatis* urogenital infection 540
GLANS PENIS: keratoderma blennorrhagica on, and Reiter's syndrome 133
GLOVE PERFORATION: needlestick injuries 453
GLUTAMATE: increased in CSF and plasma of patients with HIV dementia 283(A)
GONOCOCCAL SUBTYPE: the *sac-4* gene of *Neisseria gonorrhoeae* correlates with, not co-existing chlamydial infection 174
GONOCOCCAL URETHRITIS: periurethral abscess complicating, treated by surgical incision and drainage 857
GONORRHOEA:
antibiotic-resistant, in a London GUM clinic 137(C)
antibiotic-resistant, in Newcastle, England 805
chlamydia, and trichomoniasis, self-collection of vaginal swabs for the detection of: opportunity to encourage sexually transmitted disease testing among adolescents 280(A)
and chlamydia, proportion of episodes becoming symptomatic 91
chlamydial coinfection among patients with 261
determinants of infection among STD clinic attenders in Trinidad—I: Sociodemographic factors, knowledge, risk perception and history of STD 39
determinants of infection among STD clinic attenders in Trinidad—II: Sexual behavioural factors 46
incidence, risk factors for and trends in, among persons infected with HIV in the United States 141(A)

one year of *Neisseria gonorrhoeae* isolates in Sweden: the prevalence study of antibiotic susceptibility shows relation to the geographic area of exposure 109
in pregnancy, a randomized trial that compared oral cefixime and intramuscular ceftriaxone for the treatment of 279(A)
and syphilis and chlamydial infection among women undergoing legal or illegal abortion in Maputo 326
treatment in genitourinary medicine clinics in the UK 499
women hospitalized for, risk for anogenital cancer and other cancer 141(A)

GRANULOMA: subcutaneous granulomatous lesions related to ritonavir therapy in an HIV infected patient 273

GROIN PAIN: with erectile dysfunction, urinary incontinence and testicular pain, spinal schwannoma as cause 584

GUIDED REFLECTION: transcending routine approach in management of sexually transmitted infections 624

GUIDELINES:
national on the management of vulval conditions 411
practice, evaluation of applicability of quantitative clinical standards for management of genital chlamydial infection using an electronic database 378
survey of non-consultant career grade doctors in genitourinary medicine; their knowledge of guidelines and their access to information technology 2001 805

GYMS: gay men using in London, seeking sex on the Internet and sexual risk behaviour 139(A)

GYNAECOMASTIA:
antiretroviral-associated, tamoxifen in 582
true, another manifestation of immune reconstruction disease? 59(C)

GYPSY (ROMA): men in Bulgaria: patterns and predictors of risk in a representative community sample, high levels of sexual HIV/STD risk behaviour 184

HAEMATOSPERMIA: in context of genitourinary medicine setting 517(E)

HAEMODIALYSIS: an appraisal of antiretroviral drugs in 282(A)

HAEMOLYTIC ANAEMIA: transient due to ecstasy in a patient on HAART 651(C)

HAEMOPHILUS DUCREYI: eradicating chancroid 279(A)

HEALTH ADVISER: chlamydia — inside out 406

HEALTH SYSTEM: organization of STI control in the Netherlands 254

HEALTHCARE PROVIDER PERCEPTIONS: and patient perceptions, the importance of in the evaluation of imiquimod and other prior treatments for anogenital warts 29

HELICOBACTER PYLORI: sexual transmission via oral-anal intercourse 7

HEPATITIS: availability of dental services for patients with blood-borne viruses 543

HEPATITIS A:
an outbreak among young men associated with having sex in public venues 352(A)
vaccination acceptability and utility in homosexual men 431(C)

HEPATITIS B:
audit of immunization at the genitourinary medicine department in Middlesbrough, UK 268
and C and HIV infection, screening for in a population seeking assisted reproduction in an inner London hospital 70(A)
experience with new German vaccination strategy since 1995 35(S2)
significance of sexual route of transmission in Russia 9(S2)
why do gay men want vaccination against? Assessment of psychosocial determinants of vaccination intention 86

HEPATITIS C:
and B and HIV infection, screening for in a population seeking assisted reproduction in an inner London hospital 70(A)
chronic infection association with insulin resistance in HIV-hepatitis C virus-coinfected patients undergoing antiretroviral therapy 70(A)
diagnosis in semi-rural genitourinary medicine clinic 847
factors affecting liver fibrosis in HIV- and hepatitis C virus-coinfected patients: impact of protease inhibitor therapy 70(A)
influence of human immunodeficiency virus infection on the course of: a meta-analysis 282(A)
significance of sexual route of transmission in Russia 9(S2)
value of genitourinary medicine clinics in recognition and diagnosis of new cases in the United Kingdom 60(C)

HERPES: anogenital, valaciclovir *versus* aciclovir for herpes simplex virus infection in HIV-infected individuals: two randomized trials 12

HERPES, GENITAL:
in pregnancy, aciclovir suppression to prevent clinical recurrences at delivery after first episode: an open-label trial 436(A)
recurrent, in a population attending a clinic for sexually transmitted diseases 352(A)
recurrent and viral shedding, aciclovir prophylaxis in late pregnancy 66(A)

HERPES SIMPLEX VIRUS:
cytomegalovirus and human papilloma virus DNA frequency in semen 547
infection in HIV-infected individuals, valaciclovir *versus* aciclovir: two randomized trials 12

HERPES SIMPLEX VIRUS TYPE 2:
association with the human immunodeficiency virus among urban women in Zimbabwe 343
seroepidemiological analysis of risk factors in genitourinary medicine clinic population 512(C)

HETERODUPLEX MOBILITY ASSAY: genomic diversity of human immunodeficiency virus type-1 in India 115

HETEROPHILE ANTIBODY: investigation of primary human immunodeficiency virus infection in patients who test positive for 282(A)

HETEROSEXUAL MEN: and homosexual men in Edinburgh, *Chlamydia trachomatis* infection and non-gonococcal urethritis in 425

HIGH SCHOOL: low income setting in Stockholm, sexual behaviour in 160

HIGHLY ACTIVE ANTIRETROVIRAL THERAPY (HAART):
alternative therapy use in HIV-infected patients 706
case of march fracture in patient with osteoporosis 645
clinical profile of end-stage AIDS 728(A)
effect of cessation of during a discordant response: implications for scheduled therapeutic interruptions 69(A)
evaluating health-related wellbeing outcomes among outpatient adults with HIV infection in the HAART era 683
HIV post-exposure prophylaxis after sexual assault, experience of sexual assault service in London 602
immune reconstitution syndrome after initiation of therapy; paradoxical recurrent meningitis following therapy of cryptococcal meningitis 724
including a protease inhibitor, bone metabolism in children with human immunodeficiency virus infection receiving 284(A)
low-dose daily subcutaneous interleukin-2 in combination with in HIV+ patients: randomized controlled trial 438(A)
prevalence and predictors of HIV-associated weight loss 744
self-reported signs of lipodystrophy by persons living with HIV infection 393

subcutaneous granulomatous lesions related to ritonavir therapy in an HIV infected patient 273
successful discontinuation of fluconazole as secondary prophylaxis for cryptococcosis in AIDS patients responding to therapy 702
transient haemolytic anaemia due to ecstasy 651(C)
true gynaecomastia, another manifestation of immune reconstruction disease? 59(C)
HISTOPLASMOSIS: disseminated, clearance of fungal burden during treatment with liposomal amphotericin B *versus* itraconazole 284(A)
HISTORY: of STD, sociodemographic factors, knowledge and risk perception, determinants of gonorrhoea infection among STD clinic attenders in Trinidad—I 39
HIV DEMENTIA: increased glutamate in CSF and plasma of patients with 283(A)
HIV INFECTION:
African countries worst affected by, targeted interventions required against genital ulcers 67(A)
African women; protected sexual intercourse, contraceptive use and pregnancy incidence 462
Africans with in London; the sins of the fathers 42(S2)
and AIDS, a systematic review of strategies for partner notification for sexually transmitted diseases 285(E)
and AIDS, alternative therapies for: how safe is Internet advice? A pilot study 433(C)
alternative therapy use in patients receiving highly active antiretroviral therapy 706
assessment of current treatment adherence services in the UK 727(A)
association with herpes simplex virus type 2 among urban women in Zimbabwe 343
atypical presentation of HIV seroconversion illness in a young woman 131
Audio-CASI *vs* interview method of administration of an HIV/STD risk of exposure screening instrument for teenagers 781
availability of dental services for patients with blood-borne viruses 543
bone metabolism in children receiving highly active antiretroviral therapy including a protease inhibitor 284(A)
Candida dubliniensis candidaemia in an HIV-positive patient in Ireland 55
cervical squamous intraepithelial lesions in HIV-infected women: prevalence and incidence and regression. European Study Group on Natural History of HIV Infection in Women 284(A)
chemoprophylaxis for tuberculosis and survival of HIV-infected patients in Brazil 437(A)
chronic hyperlactataemia in HIV-infected patients taking antiretroviral therapy 68(A)
coexistent, modification of syphilitic genital ulcer manifestations by 142(A)
comparison of lymphoproliferative capacity of phytohaemagglutinin (PHA) with pokeweed mitogen in CCR-5 wild-type and heterozygous HIV-infected and uninfected subjects 691
dietary advice with or without pravastatin for the management of hypercholesterolaemia associated with protease inhibitor therapy 281(A)
discontinuation of *Pneumocystis carinii* prophylaxis in patients infected with human immunodeficiency virus: a meta-analysis and decision analysis 437(A)
dried blood spots (DBS): a valuable tool for surveillance in developing/tropical countries 25
and drug use risk in Trinidad and Tobago, qualitative study 633
drugs for preventing tuberculosis in HIV infected persons 67(A)
efficacy and tolerability of topical 1% cidofovir cream for the treatment of external anogenital warts in HIV-infected patients 283(A)
epidemiology in Morocco, a nine-year survey (1991–1999) 839
epidemiology research study, findings from, longitudinal analysis of bacterial vaginosis 283(A)
ethical dilemma, erectile dysfunction in the HIV-positive patient: treatment or not 355(E)
evaluating health-related wellbeing outcomes among outpatient adults with HIV infection in the HAART era 683
evaluation of a rapid test for the detection of antibodies to human immunodeficiency virus type 1 and 2 in the setting of multiple viral subtypes 171
factors affecting liver fibrosis in HIV- and hepatitis C virus-coinfected patients: impact of protease inhibitor therapy 70(A)
factors associated with adherence to antiretroviral medicine in HIV-infected patients 301
financial situation of people living with in Europe 698
and hepatitis B and C infection, screening for in a population seeking assisted reproduction in an inner London hospital 70(A)
high levels of sexual HIV/STD risk behaviour among Roma (Gypsy) men in Bulgaria: patterns and predictors of risk in a representative community sample 184
HIV risk factors among patients with tuberculosis—Botswana 1999 311
implications for control, sexual activity and treatment-seeking behaviour, genital ulceration in rural Uganda 141(A)
increased glutamate in CSF and plasma of patients with HIV dementia 283(A)
influence on the course of hepatitis C virus infection: a meta-analysis 282(A)
life-long antiretroviral treatment of congenital HIV disease, associated with a mixed fat redistribution syndrome and osteopenia already occurring during pre-pubertal age 504
longitudinal analysis of bacterial vaginosis: findings from the HIV epidemiology research study 283(A)
low prevalence of antiretroviral resistance among persons recently infected with HIV in two US cities 554
low-dose daily subcutaneous interleukin-2 in combination with highly active antiretroviral therapy in HIV+ patients: a randomized controlled trial 438(A)
mean cell volume (MCV) changes in patients taking nucleoside transcriptase inhibitors (NRTIs), a surrogate marker for adherence 748
medical management of sexual difficulties in HIV-positive individuals 587
mother to child transmission; what HIV-infected women think. Experience in Rome, Italy 551
natural history, transmissibility of phases 430(C)
osteopenia in HIV-infected men: association with asymptomatic lactic acidemia and lower weight pre-antiretroviral therapy 68(A)
osteopenia in men: association with asymptomatic lactic acidemia and lower weight pre-antiretroviral therapy 68(A)
overview of the effectiveness of triple combination therapy, in antiretroviral-naive HIV-1 infected adults 142(A)
patient preferences regarding antiretroviral therapy 593
a phase III study of recombinant human interferon gamma to prevent opportunistic infections in advanced HIV disease 283(A)
post-abortion endometritis—myometritis 729
post-exposure prophylaxis 30(S2)
post-exposure prophylaxis after sexual assault, experience of sexual assault service in London 602
post-exposure prophylaxis for non-occupational exposure; current clinical practice and opinions in UK 728(A)

and pregnancy, management of in England's North Thames Region 1999: a survey of practice in 21 hospitals 438(A)
prevalence, incidence, and type-specific persistence of human papillomavirus in human immunodeficiency virus (HIV)-positive and HIV-negative women 282(A)
prevalence and predictors of HIV-associated weight loss in the era of highly active antiretroviral therapy 744
prevention, condom distribution: a cost-utility analysis 384
primary 71(E)
primary, investigation of in patients who test positive for heterophile antibody 282(A)
prophylaxis with trimethoprim-sulfamethoxazole for human immunodeficiency virus-infected patients: impact on risk for infectious diseases 69(A)
pyrexia of unknown origin and resurgence of syphilis 860(C)
relative risk among young men and women in a South African township 331
rifampin reduces concentrations of trimethoprim and sulfamethoxazole in serum in human immunodeficiency virus-infected patients 353(A)
risk behaviour among gay and bisexual men in Budapest, Hungary 192
risk behaviours of American spring break vacationers; case of situational disinhibition 733
risk factors among patients with tuberculosis—Botswana 1999 311
risk factors and cumulative incidence among infected injection drug users 119
risk factors for and trends in gonorrhoea incidence among persons infected with HIV in the United States 141(A)
salivary IgA and serum IgA and IgG antibodies to *Candida albicans* in HIV-infected subjects 373
self-reported signs of lipodystrophy by persons living with 393
sexual behaviour and AIDS awareness in a high HIV prevalence area in rural northern Kwazulu-Natal, South Africa 829
skin popping ulceration; successful treatment with antiretroviral drugs and stanozolol 508
subcutaneous granulomatous lesion related to ritonavir therapy in an HIV infected patient 273
in sub-Saharan Africa not explained by sexual or vertical transmission 657(E)
syphilis among HIV-infected mothers and their infants in Texas from 1988 to 1994 280(A)
systematic review of epidemiologic interactions with classic sexually transmitted disease 436(A)
testing of patients attending genitourinary medicine clinics 843
treatment optimism is associated with unprotected anal intercourse with regular and with casual partners among Australian gay and homosexually active men 181
unusual malignant tumours 674
valaciclovir *versus* aciclovir for herpes simplex virus infection in HIV-infected individuals: two randomized trials 12
validation of Medical Outcomes Study HIV Health Survey as measure of quality of life in Singapore 456
vulvovaginal candidiasis: a comparison of HIV-positive and HIV-negative women 358(E)

HIV STATUS:
prevalence, incidence, and type-specific persistence of human papillomavirus in human immunodeficiency virus (HIV)-positive and HIV-negative women 282(A)
vulvovaginal candidiasis: a comparison of HIV-positive and HIV-negative women 358(E)

HIV TRANSMISSION:
18-month mortality and perinatal exposure to zidovudine in West Africa 69(A)
effect of immediate neonatal zidovudine on prevention of vertical transmission of human immunodeficiency virus type 1 69(A)
eradicating chancroid 279(A)
estimating efficiency of through unsafe medical injections 152(E)
and imiquimod 63(C), 64(C)
risk behaviours among HIV-positive persons in serodiscordant relationships 677
which phase of the natural history of HIV infection is more transmissible? 430(C)

HIV-1:
antiretroviral-naive infected adults, overview of the effectiveness of triple combination therapy 142(A)
association with cervical squamous intraepithelial lesions among Zimbabwean women in an HIV/STI prevention study 765
effect of immediate neonatal zidovudine on prevention of vertical transmission 69(A)
estimating transmission efficiency through unsafe medical injections 152(E)
evaluation of a rapid test for the detection of antibodies to human immunodeficiency virus type 1 and 2 in the setting of multiple viral subtypes 171
genomic diversity in India 115
infected women, appropriateness of intrauterine device contraception 437(A)
a phase III study of recombinant human interferon gamma to prevent opportunistic infections in advanced HIV disease 283(A)

HIV-2: evaluation of a rapid test for the detection of antibodies to human immunodeficiency virus type 1 and 2 in the setting of multiple viral subtypes 171

HOMELESS: risk behaviours and prevalence of *Chlamydia trachomatis* and *Neisseria gonorrhoeae* genital infections among Montreal street youth 238

HOMOSEXUAL MEN:
acceptability and utility of hepatitis A vaccination in 431(C)
and bisexual men in Budapest, Hungary, HIV risk behaviour among 192
effects of mood states on AIDS-related judgements of gay men 475
and heterosexual men in Edinburgh, *Chlamydia trachomatis* infection and non-gonococcal urethritis in 425
HIV treatments optimism is associated with unprotected anal intercourse with regular and with casual partners among Australian gay and homosexually active men 181
outbreak of hepatitis A among young men associated with having sex in public venues 352(A)
outbreak of syphilis in Oslo 370
in Scotland, bar-based, peer-led sexual health promotion having community-level effect 102
seeking sex on the Internet and sexual risk behaviour among gay men using London gyms 139(A)
why do gay men want to be vaccinated against hepatitis B? An assessment of psychosocial determinants of vaccination intention 86

HOMOSEXUAL WOMEN: beyond assumptions of negligible risk: STDs and women who have sex with women 67(A)

HORMONAL CONTRACEPTION: and risk of sexually transmitted disease acquisition: results from a prospective study 141(A)

HOSPITAL: management of HIV infection and pregnancy in England's North Thames Region 1999: a survey of practice in 21 hospitals 438(A)

HUMAN BITE: penile ulceration 852

HUMAN PAPILLOMAVIRUS:
cytomegalovirus and herpes simplex virus DNA frequency in semen 547

infection in Danish female sex workers. Decreasing prevalence with age despite continuously high sexual activity 281(A)
new procedure for detecting clinical and subclinical lesions of the urethra, fluorescence urethroscopy following instillation of 5-aminolevulinic acid 140(A)
prevalence, incidence, and type-specific persistence in human immunodeficiency virus (HIV)-positive and HIV-negative women 282(A)
treatment of genital warts—evidence for 216
HYPERCHOLESTEROLAEMIA: associated with protease inhibitor therapy, dietary advice with or without pravastatin for the management of 281(A)
HYPERLACTATEMIA: chronic, in HIV-infected patients taking antiretroviral therapy 68(A)
HYPERSENSITIVITY: recurrent, to Combivir 213
HYPERTRIGLYCERIDAEMIA: secondary to PIs, switching to tenoforvir from protease inhibitor therapy as option in controlling 795(C)

IGA: salivary and serum, and IgG antibodies to *Candida albicans* in HIV-infected subjects 373
IGG: antibodies, and salivary IgA and serum IgA to *Candida albicans* in HIV-infected subjects 373
IMIQUIMOD:
cost-effectiveness for anogenital warts 647(C)
and HIV transmission 63(C), 64(C)
and other prior treatments for anogenital warts, the importance of patient and healthcare provider perceptions in the evaluation of 29
topical cream 5% for resistant perianal warts in a renal transplant patient 349, 501
use of in resistant warts 275
IMMUNE RECONSTITUTION SYNDROME:
after initiation of highly active antiretroviral therapy; paradoxical recurrent meningitis following therapy of cryptococcal meningitis 724
rheumatoid arthritis case 580
IMMUNE RECONSTRUCTION DISEASE: true gynaecomastia, another manifestation 59(C)
IMMUNIZATION *see* vaccination
INFECTION:
genital, *Chlamydia trachomatis* and *Neisseria gonorrhoeae*, risk behaviours and prevalence among Montreal street youth 238
phase and transmissibility, natural history of HIV infection 430(C)
repeated, characteristics of those who repeatedly acquire sexually transmitted infections: a retrospective cohort study of attendees at three urban sexually transmitted disease clinics in England 140(A)
symptomatic, proportion of episodes of gonorrhoea and chlamydia becoming 91
urogenital, sensitivity evaluation of Gen-Probe AMP-CT assay by pooling urine samples for screening of *Chlamydia trachomatis* 540
INFECTIOUS DISEASES: impact on risk, prophylaxis with trimethoprim-sulfamethoxazole for human immunodeficiency virus-infected patients 69(A)
INFERTILITY:
tubal factor, *Mycoplasma genitalium* 145(E)
women with *Chlamydia trachomatis* infection, usefulness of transvaginal hydrolaparoscopy in investigating 279(A)
INJECTION DRUG USERS:
HIV-infected, risk factors and cumulative incidence of anaemia 119
syphilis among population; epidemiological situation in St Petersburg, Russia 618
INJECTIONS: unsafe medical, estimating HIV-1 transmission efficiency through 152(E)
INSULIN RESISTANCE: association with hepatitis C virus chronic infection in HIV-hepatitis C virus-coinfected patients undergoing antiretroviral therapy 70(A)
INTERFERON GAMMA: recombinant human, a phase III study to prevent opportunistic infections in advanced HIV disease 283(A)
INTERLEUKIN-2:
subcutaneous, low-dose daily, in combination with highly active antiretroviral therapy in HIV+ patients: a randomized controlled trial 438(A)
unusual thyroiditis after recombinant therapy 790
INTERNATIONAL COMMUNITY: what are the problems? What are we doing? Where do we go from here? 48(S2)
INTERNET:
advice, how safe is it? Alternative therapies for HIV/AIDS, a pilot study 433(C)
seeking sex on, and sexual risk behaviour among gay men using London gyms 139(A)
survey of non-consultant career grade doctors in genitourinary medicine; their knowledge of guidelines and their access to information technology 2001 805
INTRAUTERINE DEVICE: contraception for HIV-1-infected women 437(A)
INTRAVENOUS DRUG USE:
HIV-infected, risk factors and cumulative incidence of anaemia 119
syphilis among population; epidemiological situation in St Petersburg, Russia 618
ITRACONAZOLE: *versus* liposomal amphotericin B, clearance of fungal burden during treatment of disseminated histoplasmosis 284(A)
IUSTI: President's report 515
IUSTI-EUROPE 2002: 18th Congress on Sexually Transmitted Infections (S1)

KERATODERMA BLENNORRHAGICA: on glans penis, and Reiter's syndrome 133
KNEE: osteonecrosis in patient receiving antiretroviral therapy 792
KNOWLEDGE: sociodemographic factors, risk perception and history of STD, determinants of gonorrhoea infection among STD clinic attenders in Trinidad—I: 39

LACTIC ACIDAEMIA: asymptomatic and lower weight pre-antiretroviral therapy, association with osteopenia in HIV-infected men 68(A)
LAPAROSCOPY: measurement of serum CA-125 concentrations does not improve the value of *Chlamydia trachomatis* antibody in predicting tubal pathology 66(A)
LEGAL REGULATIONS: sexually transmitted diseases in Germany 246
LEUKOCYTE ESTERASE: microscopy of stained smears of vaginal secretion in the diagnosis of recurrent vulvovaginal candidosis 318
LICHEN SCLEROSUS: national guideline on the management of vulval conditions 411
LIPODYSTROPHY:
Cushing's syndrome mimicking syndrome in patient with AIDS 648(C)
self-reported signs of, by persons living with HIV infection 393
LIVER FIBROSIS: factors affecting in HIV- and hepatitis C virus-coinfected patients: impact of protease inhibitor therapy 70(A)
LOW-INCOME SETTING: high school in Stockholm, sexual behaviour in 160

LUNG CANCER: unusual malignant tumours in patients with HIV infection 674

MALE CIRCUMCISION: misclassification of status, fleeting foreskins 281(A)
MALIGNANT TUMOURS: unusual in patients with HIV infection 674
MEDICAL INJECTIONS: unsafe, estimating HIV-1 transmission efficiency 152(E)
MEDICAL OUTCOMES STUDY HIV HEALTH SURVEY: validation as measure of quality of life in Singapore 456
MEDICAL WORKFORCE SPECIALITY REVIEW FOR GENITOURINARY MEDICINE 2001/2002: England, Wales, Northern Ireland and Scotland 495
MEN WHO HAVE SEX WITH MEN: an outbreak of syphilis in Oslo 370
MENINGITIS: paradoxical recurrent following therapy of cryptococcal meningitis; immune reconstitution syndrome after initiation of highly active antiretroviral therapy 724
MENOPAUSE: bacterial vaginosis 449
MICROBIOLOGY: observations on urethritis in black South African men 323
MICROSCOPY: of stained smears of vaginal secretion in the diagnosis of recurrent vulvovaginal candidosis 318
MOLECULAR EPIDEMIOLOGY: genomic diversity of human immunodeficiency virus type-1 in India 115
MOLECULAR TYPING: *Neisseria gonorrhoea* from hospital and community isolates by restriction fragment length polymorphism 124
MOLLUSCUM CONTAGIOSUM: facial molluscum: treatment with cryotherapy and podophyllotoxin 277(C)
MOOD STATE: effects on AIDS-related judgements of gay men 475
MORTALITY: 18-month, and perinatal exposure to zidovudine in West Africa 69(A)
MOTHERS: HIV-infected, and their infants, syphilis among in Texas from 1988 to 1994 280(A)
MUCINASE: application of novel human cervical mucin-based assay demonstrates absence of increased activity in bacterial vaginosis 755
MYCOPLASMA GENITALIUM:
genital mycoplasmas as sexually transmitted agents 79
observations on the microbiology of urethritis in black South African men 323
screening for non-gonococcal urethritis in men attending genitourinary medicine departments 667
up-date 145(E)
MYCOPLASMAS: genital, including *Mycoplasma genitalium*, as sexually transmitted agents 79
MYOMETRITIS: post-abortion and HIV infection 729

NEEDLESTICK INJURIES:
ongoing problem 453
post-exposure prophylaxis 30(S2)
NEISSERIA GONORRHOEAE:
antimicrobial susceptibility of strains isolated in Nuuk, Greenland during 1998–1999 826
and *Chlamydia trachomatis*, a retrospective study of the clinical effectiveness of the treatment of genital coinfection, in Coventry 178
and *Chlamydia trachomatis*, detection of by enzyme immunoassay, culture and three nucleic acid amplification tests 66(A)
and *Chlamydia trachomatis* genital infections, risk behaviours and prevalence of, among Montreal street youth 238
and *Chlamydia trachomatis* postpartum infections 727(A)
high incidence of treatment failure of isolates to ciprofloxacin in male gonococcal urethritis in Delhi 564
molecular typing of hospital and community isolates by restriction fragment length polymorphism 124
observations on the microbiology of urethritis in black South African men 323
one year of isolates in Sweden: the prevalence study of antibiotic susceptibility shows relation to the geographic area of exposure 109
the *sac-4* gene of, correlates with gonococcal subtype not co-existing chlamydial infection 174
NEONATES: effect of immediate zidovudine on prevention of vertical transmission of human immunodeficiency virus type 1 69(A)
NEPHROPATHY: appraisal of antiretroviral drugs in haemodialysis 282(A)
NEURODEGENERATION: increased glutamate in CSF and plasma of patients with HIV dementia 283(A)
NEVIRAPINE: risk of Stevens-Johnson syndrome or toxic epidermal necrolysis 353(A)
NON-GONOCOCCAL URETHRITIS:
acute, urinary tract infection 801
and *Chlamydia trachomatis* infection in homosexual and heterosexual men in Edinburgh 425
Mycoplasma genitalium — up-date 145(E)
screening for in men attending genitourinary medicine departments 667
NUCLEIC ACID AMPLIFICATION TESTS: three, enzyme immunoassay and culture, detection of *Chlamydia trachomatis* and *Neisseria gonorrhoea* by 66(A)
NUCLEOSIDE TRANSCRIPTASE INHIBITORS (NRTIS): mean cell volume (MCV) changes in HIV-positive patients, a surrogate marker for adherence 748

ORAL-ANAL INTERCOURSE: sexual transmission of *Helicobacter pylori* 7
ORAQUICK™ HIV-1/2 TEST: evaluation of a rapid test for the detection of antibodies to human immunodeficiency virus type 1 and 2 in the setting of multiple viral subtypes 171
OSTEONECROSIS OF KNEE: in patient receiving antiretroviral therapy 792
OSTEOPENIA:
and fat redistribution syndrome already occurring during pre-pubertal age; life-long antiretroviral treatment of congenital HIV disease 504
in HIV-infected men: association with asymptomatic lactic acidemia and lower weight pre-antiretroviral therapy 68(A)
OSTEOPOROSIS: case of march fracture in patient on long-term HAART 645
OUTPATIENTS: audit of pelvic inflammatory disease management 577

PAIN:
genital, of unknown aetiology 215(E)
testicular with erectile dysfunction, urinary incontinence and groin pain, spinal schwannoma as cause 584
PARTICIPATION RATE: questions on sexual behaviour and the method of sample collection effects on participation in a screening programme for asymptomatic *Chlamydia trachomatis* infections in primary care 36
PARTNER NOTIFICATION: for sexually transmitted diseases, including HIV/AIDS, a systematic review of strategies for 285(E)
PATIENT EDUCATION: information-giving to patients with genital warts at a genitourinary medicine clinic: a baseline assessment 223
PATIENT PERCEPTIONS: and healthcare provider perceptions, importance of in evaluation of imiquimod and other prior treatments for anogenital warts 29

PELVIC INFLAMMATORY DISEASE:
audit of outpatient management 577
chlamydial, a multidistrict audit of management in genitourinary medicine clinics in Yorkshire 264
natural course of asymptomatic *Chlamydia trachomatis* infections, 45% clearance and no development of clinical PID after one-year follow-up 12(S2)
in the People's Republic of China; aetiology and management 568
tubal factor pathology caused by *Chlamydia trachomatis*, role of serology 26(S2)
PELVIC PAIN SYNDROME: chronic and chronic prostatitis: national survey of genitourinary medicine clinics 416
PENIS:
biopsy efficacy and safety in a GUM clinic setting 573
human bite-induced ulceration 852
Reiter's syndrome and keratoderma blennorrhagica on glans penis 133
PENODYNIA AND SCROTODYNIA, DYSAESTHETIC:
genital pain of unknown aetiology 215(E)
male genital skin burning syndrome 271
PERCEPTIONS:
of access, quality of care and choice of practitioner, STD treatment for men in rural and urban Zimbabwe 201
HIV treatments optimism is associated with unprotected anal intercourse with regular and with casual partners among Australian gay and homosexually active men 181
patient and healthcare providers, importance of in evaluation of imiquimod and other prior treatments for anogenital warts 29
PERIANAL WARTS: topical imiquimod cream 5% in a renal transplant patient 349, 501
PERIURETHRAL ABSCESS: complicating male gonococcal urethritis treated by surgical incision and drainage 857
PHYTOHAEMAGGLUTININ (PHA): comparison of lymphoproliferative capacity with pokeweed mitogen in CCR-5 wild-type and heterozygous HIV-infected and uninfected subjects 691
PNEUMOCYSTIS CARINII: discontinuation of prophylaxis in patients infected with human immunodeficiency virus: a meta-analysis and decision analysis 437(A)
PODOPHYLLOTOXIN: and cryotherapy, treatment for facial molluscum 277(C)
POKEWEED MITOGEN: comparison of lymphoproliferative capacity with phytohaemagglutinin (PHA) in CCR-5 wild-type and heterozygous HIV-infected and uninfected subjects 691
POLYMERASE CHAIN REACTION (PCR): role for rapid tests for *Chlamydia trachomatis* 22
POST-EXPOSURE PROPHYLAXIS 30(S2)
for HIV after sexual assault, experience of sexual assault service in London 602
for non-occupational exposure to HIV; current clinical practice and opinions in UK 728(A)
PRACTICE GUIDELINES: an evaluation of the applicability of quantitative clinical standards for the management of genital chlamydial infection using an electronic database 378
PRACTITIONER CHOICE: perceptions of access and quality of care, STD treatment for men in rural and urban Zimbabwe 201
PRAVASTATIN: dietary advice with or without, for the management of hypercholesterolaemia associated with protease inhibitor therapy 281(A)
PREGNANCY:
18-month mortality and perinatal exposure to zidovudine in West Africa 69(A)
aciclovir suppression to prevent clinical recurrences at delivery after first episode genital herpes: an open-label trial 436(A)
clinical and epidemiological features of syphilis in pregnant women: the course and outcome of 353(A)
and HIV infection, management in England's North Thames Region 1999: a survey of practice in 21 hospitals 438(A)
incidence, contraceptive use and protected sexual intercourse among African HIV-infected women 462
late, aciclovir prophylaxis prevents recurrent genital herpes and viral shedding 66(A)
randomized trial of presumptive sexually transmitted disease therapy during, in Rakai, Uganda 436(A)
randomized trial that compared oral cefixime and intramuscular ceftriaxone for the treatment of gonorrhoea 279(A)
syphilis, gonorrhoea and chlamydial infection among women undergoing legal or illegal abortion in Maputo 326
syphilis epidemiology 486
PRIMARY CARE:
laboratory diagnosis of sexually transmitted infections in women with genital discharge in Madagascar 606
questions on sexual behaviour and the method of sample collection affecting participation in a screening programme for asymptomatic *Chlamydia trachomatis* infections 36
sexual health provision and the Sexual Health and HIV Strategy for England: a questionnaire survey of general practitioners' views 230
erratum 516
PROPHYLAXIS:
aciclovir in late pregnancy prevents recurrent genital herpes and viral shedding 66(A)
chemoprophylaxis for tuberculosis and survival of HIV-infected patients in Brazil 437(A)
drugs for preventing tuberculosis in HIV infected persons 67(A)
Pneumocystis carinii, discontinuation in patients infected with human immunodeficiency virus: a meta-analysis and decision analysis 437(A)
with trimethoprim-sulfamethoxazole for human immunodeficiency virus-infected patients: impact on risk for infectious diseases 69(A)
see also post-exposure prophylaxis
PROSTATITIS: chronic and chronic pelvic pain syndrome: national survey of genitourinary medicine clinics 416
PROTEASE INHIBITOR THERAPY:
bone metabolism in children with human immunodeficiency virus infection receiving highly active anti-retroviral therapy 284(A)
dietary advice with or without pravastatin for the management of hypercholesterolaemia associated with 281(A)
impact of, factors affecting liver fibrosis in HIV- and hepatitis C virus coinfected patients 70(A)
switching to tenoforvir as option in controlling hypertriglyceridaemia secondary to PIs 795(C)
PSYCHOSOCIAL DETERMINANTS:
of sexual activity and condom use intention among youth in Addis Ababa, Ethiopia 714
of vaccination intention, an assessment of, why gay men want to be vaccinated against hepatitis B 86
PUBLIC HEALTH: fate of free male condoms distributed to the public in South Africa 67(A)
PYREXIA OF UNKNOWN ORIGIN: in HIV infection and resurgence of syphilis 860(C)

QUALITY OF CARE: choice of practitioner and perceptions of access, STD treatment for men in rural and urban Zimbabwe 201
QUALITY OF LIFE:
evaluating health-related wellbeing outcomes among outpatient adults with HIV infection in the HAART era 683

validation of Medical Outcomes Study HIV Health Survey in HIV-infected patients in Singapore 456
QUICKVUE®: role for rapid tests for *Chlamydia trachomatis* 22

RAPID TESTS: for *Chlamydia trachomatis*, role for 22
REACTIVE ARTHRITIS: sexually acquired, *Shigella sonnei*: another cause 135
REITER'S SYNDROME: and keratoderma blennorrhagica on glans penis 133
RENAL TRANSPLANT: topical imiquimod cream 5% for resistant perianal warts 349, 501
REPRODUCTIVE HEALTH: the long-term consequences of female genital cutting in rural Gambia: a community-based survey 280(A)
RESTRICTION FRAGMENT LENGTH POLYMORPHISM: molecular typing of *Neisseria gonorrhoeae* from hospital and community isolates 124
RHEUMATOID ARTHRITIS: case of immune reconstitution 580
RIFAMPIN: reduces concentrations of trimethoprim and sulfamethoxazole in serum in human immunodeficiency virus-infected patients 353(A)
RISK:
impact on for infectious diseases, prophylaxis with trimethoprim-sulfamethoxazole for human immunodeficiency virus-infected patients 69(A)
perception, sociodemographic factors, knowledge and history of STD, determinants of gonorrhoea infection among STD clinic attenders in Trinidad—I: 39
relative, of HIV infection among young men and women in a South African township 331
RISK BEHAVIOUR:
HIV among gay and bisexual men in Budapest, Hungary 192
HIV of American spring break vacationers; case of situational disinhibition 733
HIV transmission among HIV-positive persons in serodiscordant relationships 677
and prevalence of *Chlamydia trachomatis* and *Neisseria gonorrhoeae* genital infections among Montreal street youth 238
sexual, and seeking sex on the Internet among gay men using London gyms 139(A)
sexual, HIV/STD, high levels among Roma (Gypsy) men in Bulgaria: patterns and predictors of risk in a representative community sample 184
sexual and emergency contraceptive pill 482
and STIs in drug abuse treatment populations whose drug of choice is crack cocaine 769
RISK FACTORS:
association of herpes simplex virus type 2 with the human immunodeficiency virus among urban women in Zimbabwe 343
and cumulative incidence of anaemia among HIV-infected injection drug users 119
HIV, among patients with tuberculosis—Botswana 1999 311
self-reported signs of lipodystrophy by persons living with HIV infection 393
and trends in gonorrhoea incidence among persons infected with HIV in the United States 141(A)
RITONAVIR THERAPY: subcutaneous granulomatous lesion related to in HIV infected patient 273
ROMA (GYPSY): men in Bulgaria: patterns and predictors of risk in a representative community sample, high levels of sexual HIV/STD risk behaviour 184

***SAC-4* GENE:** of *Neisseria gonorrhoeae* correlates with gonococcal subtype not co-existing chlamydial infection 174
SALIVARY ANTIBODY: IgA and serum IgA and IgG antibodies to *Candida albicans* in HIV-infected subjects 373
SALPINGITIS: *Mycoplasma genitalium*—up-date 145(E)
SAMPLE COLLECTION: method of and questions on sexual behaviour, participation effects in a screening programme for asymptomatic *Chlamydia trachomatis* infections in primary care 36
SCABIES: sexually transmitted infection association 168
SCREENING:
for HIV, hepatitis B and C infection in a population seeking assisted reproduction in an inner London hospital 70(A)
need for rescreening of patients treated for genital chlamydial infections 363(E)
opportunist for chlamydia, screening of positive patients for coinfections 821
SCREENING PROGRAMME:
for asymptomatic *Chlamydia trachomatis* infections in primary care, questions on sexual behaviour and the method of sample collection effects on participation 36
population based, cost effectiveness analysis of, for asymptomatic *Chlamydia trachomatis* infections in women by means of home obtained urine specimens 139(A)
SCROTODYNIA AND PENODYNIA, DYSAESTHETIC:
genital pain of unknown aetiology 215(E)
male genital skin burning syndrome 271
SELF-COLLECTION:
vaginal swabs for the detection of chlamydia, gonorrhoea, and trichomoniasis: opportunity to encourage sexually transmitted disease testing among adolescents 280(A)
vaginal tampons for diagnosis of bacterial vaginosis 559
SEMEN: frequency of herpes simplex virus, cytomegalovirus and human papilloma virus DNA 547
SEROCONVERSION ILLNESS: atypical presentation of HIV in a young woman 131
SEROLOGY:
Chlamydia trachomatis, sensitivity and specificity of three new commercially available tests 23(S2)
tubal factor pathology caused by *Chlamydia trachomatis* 26(S2)
SERUM ANTIBODY: IgA and salivary IgA and IgG antibodies to *Candida albicans* in HIV-infected subjects 373
SEX IN PUBLIC VENUES: outbreak of hepatitis A among young men 352(A)
SEX WORKERS *see* commercial sex workers
SEXUAL ACTIVITY:
coitarche and care; experience of the 'looked after' system effect on timing of woman's sexual debut 805
and condom use among Eastern European adolescents—Study of Hungarian Adolescent Risk Behaviours 399
continuously high, decreasing prevalence of human papillomavirus infection in Danish female sex workers with age despite 281(A)
psychosocial determinants and condom use intention among youth in Addis Ababa, Ethiopia 714
treatment-seeking behaviour and the implications for HIV control, genital ulceration in rural Uganda 141(A)
SEXUAL ASSAULT: HIV post-exposure prophylaxis, experience of sexual assault service in London 602
SEXUAL BEHAVIOUR:
and AIDS awareness in a high HIV prevalence area in rural northern Kwazulu-Natal, South Africa 829
beyond assumptions of negligible risk: STDs and women who have sex with women 67(A)
clinic-based STD data reflecting community patterns 775
factors, determinants of gonorrhoea infection among STD clinic attenders in Trinidad—II: 46
feasibility of testing for *Chlamydia trachomatis* in general population survey in Slovenia 5(S2)
in a low-income high school setting in Stockholm 160

questions on and the method of sample collection effects on participation in a screening programme for asymptomatic *Chlamydia trachomatis* infections in primary care? 36
sexually transmitted infection association with scabies 168
SEXUAL DIFFICULTIES: medical management in HIV-positive individuals 587
SEXUAL HEALTH AND HIV STRATEGY FOR ENGLAND: and sexual health provision: a questionnaire survey of general practitioners' views 230
SEXUAL HEALTH PROMOTION: bar-based, peer-led, community-level effect amongst gay men in Scotland 102
SEXUAL HEALTH PROVISION: and the Sexual Health and HIV Strategy for England: a questionnaire survey of general practitioners' views 230
erratum 516
SEXUAL HEALTH SERVICES:
chlamydia—inside out 406
comprehensive, standards for young people under 25 years 420
SEXUAL INTERCOURSE: protected, contraceptive use and pregnancy incidence among African HIV-infected women 462
SEXUAL PARTNERS: female, chlamydial infection in males and consequences for, an example from rural Kilimanjaro, Tanzania 234
SEXUALLY TRANSMITTED DISEASE CLINIC:
determinants of gonorrhoea infection among attenders in Trinidad—I: Sociodemographic factors, knowledge, risk perception and history of STD 39
determinants of gonorrhoea infection among attenders in Trinidad—II: Sexual behavioural factors 46
recurrent genital herpes in a population attending 352(A)
SEXUALLY TRANSMITTED DISEASES:
acquisition, hormonal contraception and risk: results from a prospective study 141(A)
association with scabies 168
Audio-CASI *vs* interview method of administration of an HIV/STD risk of exposure screening instrument for teenagers 781
audit of hepatitis B immunization at the genitourinary medicine department in Middlesbrough, UK 268
audit of official returns from genitourinary medicine 720
characteristics of those who repeatedly acquire: a retrospective cohort study of attendees at three urban sexually transmitted disease clinics in England 140(A)
classic, a systematic review of the epidemiologic interactions between them and HIV 436(A)
clinic-based data reflecting community patterns 775
emergency contraceptive pill and sexual risk behaviour 482
genital mycoplasmas, including *Mycoplasma genitalium*, as sexually transmitted agents 79
in Germany 246
high levels of sexual HIV/STD risk behaviour among Roma (Gypsy) men in Bulgaria: patterns and predictors of risk in a representative community sample 184
hormonal contraception and risk of sexually transmitted disease acquisition: results from a prospective study 141(A)
including HIV/AIDS, a systematic review of strategies for partner notification 285(E)
laboratory diagnosis in women with genital discharge in Madagascar: implications for primary care 606
organization of control in the Netherlands 254
prevalences of and risk factors for among Japanese female commercial sex workers in middle- and high-class soaplands in Japan 833
randomized trial of presumptive therapy during pregnancy in Rakai, Uganda 436(A)
and risk behaviour in drug abuse treatment populations whose drug of choice is crack cocaine 769
risk behaviours and prevalence of *Chlamydia trachomatis* and *Neisseria gonorrhoeae* genital infections among Montreal street youth 238
sac-4 gene of *Neisseria gonorrhoeae* correlates with gonococcal subtype not co-existing chlamydial infection 174
sexual activity and condom use among Eastern European adolescents—Study of Hungarian Adolescent Risk Behaviours 399
sexual lifestyles of long-distance truck drivers; a clinico-epidemiologic study in south India 612
sexual transmission of *Helicobacter pylori* via oral-anal intercourse 7
Shigella sonnei, another cause of sexually acquired reactive arthritis 135
STD treatment for men in rural and urban Zimbabwe: choice of practitioner, perceptions of access and quality of care 201
testing among adolescents, opportunity to encourage, self-collection of vaginal swabs for the detection of chlamydia, gonorrhoea and trichomoniasis 280(A)
transcending routine approach in management, guided reflection 624
treatment for men in rural and urban Zimbabwe: choice of practitioner, perceptions of access and quality of care 201
vaccine candidates 38(S2)
women who have sex with women, beyond assumptions of negligible risk 67(A)
SHIGELLA SONNEI: another cause of sexually acquired reactive arthritis 135
SILDENAFIL: cardiovascular safety 439(E)
SKIN BURNING SYNDROME: male genital (dysaesthetic peno/scroto-dynia) 271
SKIN POPPING: ulceration in HIV patient; successful treatment with antiretroviral drugs and stanozolol 508
SOCIODEMOGRAPHIC FACTORS: knowledge, risk perception and history of STD, determinants of gonorrhoea infection among STD clinic attenders in Trinidad—I: 39
SPINAL SCHWANNOMA: as cause of erectile dysfunction with urinary incontinence and groin and testicular pain 584
SQUAMOUS INTRAEPITHELIAL LESIONS: cervical in HIV-infected women, prevalence and incidence and regression. European Study Group on Natural History of HIV Infection in Women 284(A)
STANOZOLOL: and antiretroviral drugs; successful treatment of skin popping ulceration in HIV patient 508
STEVENS-JOHNSON SYNDROME: or toxic epidermal necrolysis, nevirapine and risk 353(A)
STUDY OF HUNGARIAN ADOLESCENT RISK BEHAVIOURS: sexual activity and condom use among Eastern European adolescents 399
SUBCUTANEOUS GRANULOMATOUS LESIONS: related to ritonavir therapy in an HIV infected patient 273
SULFAMETHOXAZOLE AND TRIMETHOPRIM:
prophylaxis for human immunodeficiency virus-infected patients: impact on risk for infectious diseases 69(A)
rifampin reduces concentrations in serum in human immunodeficiency virus-infected patients 353(A)
SURVEILLANCE: dried blood spots (DBS): a valuable tool for HIV surveillance in developing/tropical countries 25
SWITCH STUDIES: review 728(A)
SYNDROMIC MANAGEMENT:
algorithm for genital ulcer disease in China 469
pelvic inflammatory disease in the People's Republic of China; aetiology and management 568
SYPHILIS:
among HIV-infected mothers and their infants in Texas from 1988 to 1994 280(A)
among intravenous drug-using population; epidemiological situation in St Petersburg, Russia 618

clinical and epidemiological features of in pregnant women: the course and outcome of pregnancy 353(A)
early, relapse on first line treatment 722
epidemiology in pregnancy 486
epidemiology in Slovenia influenced by syphilis epidemic in the Russian Federation and other newly independent states (NIS) 2(S2)
gonorrhoea and chlamydial infection among women undergoing legal or illegal abortion in Maputo 326
investigation of isolated positive enzyme immunoassay (ICE Murex) results 761
modification of genital ulcer manifestations by coexistent HIV infection 142(A)
outbreak in Oslo 370
resurgence and pyrexia of unknown origin in HIV infection 860(C)

TAMOXIFEN: antiretroviral-associated gynaecomastia 582
TENOFORVIR: switching from protease inhibitor therapy as option in controlling hypertriglyceridaemia secondary to PIs 795(C)
TESTICULAR PAIN: with erectile dysfunction, urinary incontinence and groin pain, spinal schwannoma as cause 584
TESTS: rapid, for *Chlamydia trachomatis* 22
THERAPEUTIC INTERRUPTIONS: scheduled, implications for, effect of cessation of highly active antiretroviral therapy during a discordant response 69(A)
THYROIDITIS: unusual after recombinant interleukin-2 therapy 790
TOXIC EPIDERMAL NECROLYSIS: or Stevens-Johnson syndrome, nevirapine and the risk of 353(A)
TRANSMISSION:
sexual of *Helicobacter pylori* via oral-anal intercourse 7
see also vertical transmission
TRANSPLANT PATIENT: renal, topical imiquimod cream 5% for resistant perianal warts 349
TRANSVAGINAL HYDROLAPAROSCOPY: usefulness in investigating infertile women with *Chlamydia trachomatis* infection 279(A)
TREATMENT-SEEKING BEHAVIOUR: sexual activity and the implications for HIV control, genital ulceration in rural Uganda 141(A)
TRICHOMONIASIS: and chlamydia and gonorrhoea, self-collection of vaginal swabs for the detection of: opportunity to encourage sexually transmitted disease testing among adolescents 280(A)
TRIMETHOPRIM AND SULFAMETHOXAZOLE:
prophylaxis for human immunodeficiency virus-infected patients: impact on risk for infectious diseases 69(A)
rifampin reduces concentrations in serum in human immunodeficiency virus-infected patients 353(A)
TRIPLE COMBINATION THERAPY: overview of the effectiveness in antiretroviral-naive HIV-1 infected adults 142(A)
TROPICAL COUNTRIES: developing countries, dried blood spots (DBS): a valuable tool for HIV surveillance in 25
TRUCK DRIVERS: long-distance, sexual lifestyles of; a clinico-epidemiologic study in south India 612
TUBAL FACTOR INFERTILITY: *Mycoplasma genitalium* 145(E)
TUBAL PATHOLOGY: at laparoscopy, measurement of serum CA-125 concentrations does not improve the value of *Chlamydia trachomatis* antibody in predicting 66(A)
TUBERCULOSIS:
chemoprophylaxis and survival of HIV-infected patients in Brazil 437(A)
drugs for prevention in HIV infected persons 67(A)
genital elephantiasis 427
HIV risk factors among patients with — Botswana 1999 311
TWO-GLASS TEST:
another British tradition 432(C)
urine for urethritis, abandoning: flawed concept that is based on misunderstanding 432(C)

ULCERATION: skin popping in HIV patient; successful treatment with antiretroviral drugs and stanozolol 508
UNIVERSAL PRECAUTIONS: availability of dental services for patients with blood-borne viruses 543
URETHRA: a new procedure for detecting clinical and subclinical HPV lesions of, fluorescence urethroscopy following instillation of 5-aminolevulinic acid 140(A)
URETHRAL SYNDROME: acute, caused by *Chlamydia trachomatis* treated with azithromycin or doxycycline, duration of clinical symptoms in female patients 139(A)
URETHRITIS:
abandoning of 2-glass urine test: flawed concept that is based on misunderstanding 432(C)
gonococcal, periurethral abscess complicating, treated by surgical incision and drainage 857
male gonococcal, high incidence of treatment failure of *Neisseria gonorrhoeae* isolates to ciprofloxacin in Delhi 564
observations on microbiology in black South African men 323
URETHROSCOPY: fluorescence, following instillation of 5-aminolevulinic acid: new procedure for detecting clinical and subclinical HPV lesions of the urethra 140(A)
URINARY INCONTINENCE: with erectile dysfunction and groin and testicular pain, spinal schwannoma as cause 584
URINARY TRACT INFECTION: patients with acute non-gonococcal urethritis 801
URINE:
2-glass test for urethritis, abandoning: flawed concept that is based on misunderstanding 432(C)
home obtained specimens, cost effectiveness analysis of a population based screening programme for asymptomatic *Chlamydia trachomatis* infections in women 139(A)
UROGENITAL INFECTION: sensitivity evaluation of Gen-Probe AMP-CT assay by pooling urine samples for screening of *Chlamydia trachomatis* 540
UROLOGY: update — common conditions 640

VACCINATION:
hepatitis A, acceptability and utility in homosexual men 431(C)
hepatitis B, audit at genitourinary medicine department in Middlesbrough, UK 268
hepatitis B, why do gay men want it? Assessment of psychosocial determinants of vaccination intention 86
vaccine candidates in STD 38(S2)
VAGINAL FLORA: bacterial vaginosis in climacteric and menopausal women 449
VAGINAL PH: microscopy of stained smears of vaginal secretion in the diagnosis of recurrent vulvovaginal candidosis 318
VAGINAL SECRETION: microscopy of stained smears in diagnosis of recurrent vulvovaginal candidosis 318
VAGINAL SWABS: self collection for detection of chlamydia, gonorrhoea, and trichomoniasis: opportunity to encourage sexually transmitted disease testing among adolescents 280(A)
VAGINAL TAMPONS: diagnosis of bacterial vaginosis on self-collected specimens 559
VAGINITIS: vulvovaginal candidiasis, comparison of HIV-positive and -negative women 358(E)
VAGINOSIS *see* bacterial vaginosis
VALACICLOVIR: *versus* aciclovir for herpes simplex virus infection in HIV-infected individuals: two randomized trials 12

VENEREOLOGY: Dutch dermatologists and venereology. Inquiry among all non-academic dermatologists in The Netherlands 45(S2)
VERTICAL TRANSMISSION:
18-month mortality and perinatal exposure to zidovudine in West Africa 69(A)
of human immunodeficiency virus type 1, effect of immediate neonatal zidovudine on prevention of 69(A)
mother to child HIV transmission; what HIV-infected women think. Experience in Rome, Italy 551
VIRAL SHEDDING: and recurrent genital herpes, aciclovir prophylaxis in late pregnancy 66(A)
VIRUSES: blood-borne, availability of dental services for patients 543
VULVAL CONDITIONS: national guidelines for the management of 411
VULVAL DERMATITIS: national guideline on the management of vulval conditions 411
VULVAL INTRAEPITHELIAL LESIONS: national guideline on management 411
VULVAL VESTIBULITIS: national guideline on management 411
VULVODYNIA:
national guideline on management 411
new and more effective approaches to therapy 210
VULVOVAGINAL CANDIDIASIS: comparison of HIV-positive and HIV-negative women 358(E)
VULVOVAGINAL CANDIDOSIS, RECURRENT:
facts and myths — review on epidemiology, clinical manifestations, diagnosis, pathogenesis and therapy 522
microscopy of stained smears of vaginal secretion in diagnosis 318

WARTS:
anogenital, cost-effectiveness of imiquimod 647(C)
anogenital, five-year audit of treatment by day case electrosurgery under general anaesthesia 786
anogenital, importance of patient and healthcare provider perceptions in the evaluation of imiquimod and other prior treatments for 29
external anogenital in HIV-infected persons, efficacy and tolerability of topical 1% cidofovir cream for the treatment of 283(A)
genital, information-giving to patients at a genitourinary medicine clinic: baseline assessment 223
genital, retrospective analysis of costs and patterns of treatment in The Netherlands 727(A)
genital, treatment of 216
perianal, topical imiquimod cream 5% in a renal transplant patient 349, 501
resistant anogenital, use of imiquimod 275
resistant perianal in a renal transplant patient, topical imiquimod cream 5% 349
WEIGHT:
lower, pre-antiretroviral therapy and asymptomatic lactic acidemia, association with osteopenia in HIV-infected men 68(A)
prevalence of loss and predictors of HIV-associated in the era of highly active antiretroviral therapy 744
WOMEN:
acceptability of the female condom to different groups in South Africa — multicentred study to inform the national female condom introductory strategy 281(A)
aciclovir suppression to prevent clinical recurrences at delivery after first episode genital herpes in pregnancy: an open-label trial 436(A)
atypical presentation of HIV seroconversion illness in a young woman 131
chlamydial infection in males and consequences for their female sexual partners, an example from rural Kilimanjaro, Tanzania 234
cost effectiveness analysis of a population based screening programme for asymptomatic *Chlamydia trachomatis* infections in, by means of home obtained urine specimens 139(A)
duration of clinical symptoms in female patients with acute urethral syndrome caused by *Chlamydia trachomatis* treated with azithromycin or doxycycline 139(A)
HIV-1-infected, intrauterine device as appropriate contraception 437(A)
HIV-infected, cervical squamous intraepithelial lesions in: prevalence and incidence and regression. European Study Group on Natural History of HIV Infection in Women 284(A)
human immunodeficiency virus (HIV)-positive and HIV-negative, prevalence, incidence, and type-specific persistence of human papillomavirus 282(A)
human papillomavirus infection in Danish female sex workers. Decreasing prevalence with age despite continuously high sexual activity 281(A)
infertile, with *Chlamydia trachomatis* infection, usefulness of transvaginal hydrolaparoscopy in investigating 279(A)
long-term reproductive health consequences of female genital cutting in rural Gambia: a community-based survey 280(A)
management of HIV infection and pregnancy in England's North Thames Region 1999: survey of practice in 21 hospitals 438(A)
pregnant, clinical and epidemiological features of syphilis in: course and outcome of pregnancy 353(A)
randomized trial of presumptive sexually transmitted disease therapy during pregnancy in Rakai, Uganda 436(A)
undergoing legal or illegal abortion in Maputo, syphilis, gonorrhoea and chlamydial infection 326
urban, association of herpes simplex virus type 2 with the human immunodeficiency virus in Zimbabwe 343
who have sex with women, beyond assumptions of negligible risk of sexually transmitted diseases 67(A)
WORKFORCE: consultant, for genitourinary medicine 1999 1(E)

YOUNG PERSONS' CLINIC: inner city, audit of, urban epidemic 52

ZIDOVUDINE:
18-month mortality and perinatal exposure in West Africa 69(A)
immediate neonatal, effect on prevention of vertical transmission of human immunodeficiency virus type 1 69(A)